




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
K3		REVISED PER ECR-22-150475	26AUG2022	RK	MZ



1 THIS ASSEMBLY MATES WITH 202799.

2 .000030 MIN GOLD PLATE ON .0625 DIA .250 FROM MATING END & REMAINDER GOLD FLASH ALL OVER .000050 MIN NICKEL. POSTS PLATED TIN-LEAD .000100 MIN THICK PER MIL-T-10727 OVER NICKEL .000050 MIN THK PER QQ-N-290.

3 JACKSCREW SOCKET: STAINLESS STEEL; PIN CONTACT: BRASS; RECEPTACLE BLOCK: BLUE = DIALYL PHTHALATE; BLACK = PHENOLIC.

4 .000030 MIN GOLD PLATE ON .0625 DIA .250 FROM MATING END & REMAINDER GOLD FLASH ALL OVER .000050 MIN NICKEL. POSTS PLATED TIN .000100 MIN THICK PER MIL-T-10727 OVER NICKEL .000050 MIN THK PER QQ-N-290.

SUPERSEDED BY 213521-1	4	.261	6-66460-2	202800-3	BLUE	213521-6
	—	.261	66460-7	202800-3	BLUE	213521-5
	—	.659	66460-9	202800-4	BLACK	213521-4
	—	.470	66460-8	202800-4	BLACK	213521-3
	—	.261	66460-7	202800-4	BLACK	213521-2
—	2	.261	66460-7	202800-3	BLUE	213521-1

FINISH	D	2 PIN CONTACT QTY = 160	1 BLOCK RECEPTACLE QTY = 1	COLOR	PART NO
--------	---	-------------------------	----------------------------	-------	---------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. ERDMAN 4-29-88	TE Connectivity		
DIMENSIONS: INCHES		CHK R. STONE 4-29-88	RECEPTACLE ASSEMBLY, 160 POSITION, POSTED, M SERIES		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —	NAME	SIZE	CAGE CODE
0 PLC ± -		PRODUCT SPEC	—	A2	00779
1 PLC ± -		APPLICATION SPEC	—	DRAWING NO	RESTRICTED TO
2 PLC ± -		—	—	C=213521	—
3 PLC ± .005		WEIGHT	—	SCALE	SHEET
4 PLC ± -		—	—	2:1	1 of 1
ANGLES ± -		CUSTOMER DRAWING	—	REV	K3
FINISH		—	—	—	—