

REVISIONS									
REV	ECO	DESCRIPTION	DATE	BY	APPR				
A1	-	FIRST RELEASE	Mar.30,2016	DRACK	TOMMY				





NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: COPPER ALLOY, GOLD PLATED

2. SPECIFICATIONS:


2.1 RATED CURRENT: 10 AMPS

2.2 CONTACT RESISTANCE: <5 milliohm

2.3 AVAILABLE WIRE RANGE: 24AWG~28AWG

2.4 RoHS COMPLIANT

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.



	055 040	T. II II 4000				
	_	TNUMBER				
QUANTITY	PART	<del>IART</del> IUMBER		DESCRIPTION	ITEM	
		MAT	ΓERI	ALS LIST		
UNLESS OTHERWISE SPECIFIED  1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30   Fractions ±1/64 2 PL DEC ±0.15 3 PL DEC ±0.08   Angles ±1°  3) Note reference = X		SIGNATURE	S DATE	Amphonol		
		DRACK DRACK	Mar.30,2016	Amphenol		
		CHECKED:		Sine Systems - www.amphenol-sine.com		
		ENGINEER:	44724 Morley Drive			
MATERIAL SPECIFICA	TIONS:	APPROVAL:		Clinton Township, MI 48036		
		CUSTOMER:	·	Socket contact,1.0mm,Crimp 24~28AWG		
PROCESS SPECIFICATIONS: INFO SPEC SHO THE OF R		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL		SIZE TYPE DWG NO: REV	isio	
NEXT ASS'Y:		DIMENSIONS ARE SUBJECT MANUFACTURING VARIATION	TO NORMAL DNS.	SCALE: NONE SHEET 1 OF	1	