

62192-1 ✓ ACTIVE

AMPLIVAR

TE Internal #: 62192-1

Magnet Wire Terminals, Tab, .03 – .32 mm Magnet Wire, 32 – 22


AWG Magnet Wire, Crimp, Crimp Area Length 3.81 mm [.15 in], Tin

Plating, AMPLIVAR

[View on TE.com >](#)



Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **Tab**

Magnet Wire Size: **.03 – .32 mm**

Termination Method to Wire & Cable: **Crimp**

Crimp Area Length: **3.81 mm [.15 in]**

Features

Product Type Features

Compatible With Discrete Wire Type

Magnet Wire, Solid

Contact Features

Magnet Wire Terminal Type

Tab

Terminal Plating Material

Tin

Terminal Orientation

Straight

Termination Features

Termination Method to Wire & Cable

Crimp

Crimp Area Length

3.81 mm [.15 in]

Mechanical Attachment

Wire Insulation Support

Without

Dimensions

Terminal Height

12.45 mm [.49 in]

Magnet Wire Size

.03 – .32 mm

Stock Thickness (Magnet Wire Side)

.39 mm [.016 in]



Product Length	12.45 mm[.49 in]
----------------	------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Aluminum, Copper
------------------------------------	------------------

Packaging Features

Packaging Method	Reel
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **AMPLIVAR**



Customers Also Bought






TE Part #320563
TERMINAL,PIDG R 16-14 1/4



TE Part #WM-6P
WEDGE LOCK, 6P, REC, ORG, DTM



TE Part #DT04-2P-E004
REC, 2P, BLK, N



TE Part #282404-1
MINI MIC SRS TAB CONT



TE Part #33471
TERMINAL,SOLIS R 4 3/8



TE Part #1060-20-0222
PIN, SF, SIZE 20, 16-22, NI/NI

Documents

Product Drawings

BOBBIN TAB .016TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_62192-1_M.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62192-1_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62192-1_M.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

AMPLIVAR Stator Receptacles with FASTON Mating End

English

Product Environmental Compliance

Product Compliance

English

62192-1

Magnet Wire Terminals, Tab, .03 – .32 mm Magnet Wire, 32 – 22 AWG Magnet Wire, Crimp, Crimp Area Length 3.81 mm [.15 in], Tin Plating, AMPLIVAR



Product Compliance

English