

Data sheet | Item number: 2104-1391

End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks;  
gray

[www.wago.com/2104-1391](http://www.wago.com/2104-1391)



Color:

## Data

### Physical data

|        |                        |
|--------|------------------------|
| Width  | 1 mm / 0.039 inches    |
| Height | 82.7 mm / 3.256 inches |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



|       |                        |
|-------|------------------------|
| Depth | 30.5 mm / 1.201 inches |
|-------|------------------------|

## Mechanical Data

|               |              |
|---------------|--------------|
| Mounting type | snap-on type |
|---------------|--------------|

## Material Data

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| Note (material data) | Information on material specifications can be found here |
|----------------------|----------------------------------------------------------|

|                             |                  |
|-----------------------------|------------------|
| Color                       | gray             |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Fire load                   | 0.079 MJ         |
| Weight                      | 2.7 g            |

## Environmental requirements

|                                  |                 |
|----------------------------------|-----------------|
| Processing temperature           | -35 ... +85 °C  |
| Continuous operating temperature | -60 ... +105 °C |

## Commercial data

|                       |               |
|-----------------------|---------------|
| ETIM 8.0              | EC000886      |
| ETIM 7.0              | EC000886      |
| PU (SPU)              | 100 (25) pcs  |
| Country of origin     | DE            |
| GTIN                  | 4055143975391 |
| Customs tariff number | 8538909990    |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Approvals / Certificates

### Declarations of conformity and manufacturer's declarations

| Logo | Approval                                                  | Additional Approval Text | Certificate name |
|------|-----------------------------------------------------------|--------------------------|------------------|
|      | <b>EU-Declaration of Conformity</b><br>WAGO GmbH & Co. KG | -                        | -                |

Subject to changes. Please also observe the further product documentation!



UK-Declaration of Conformity  
WAGO GmbH & Co. KG

## Required accessories

### End plate

#### Through terminal block

**Item no.: 2104-1301**

3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 4 mm<sup>2</sup>; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray [www.wago.com/2104-1301](http://www.wago.com/2104-1301)

**Item no.: 2104-1304**

3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 4 mm<sup>2</sup>; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm<sup>2</sup>; blue [www.wago.com/2104-1304](http://www.wago.com/2104-1304)

**Item no.: 2104-5304**

3-conductor through terminal block; with lever and push-button; 4 mm<sup>2</sup>; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm<sup>2</sup>; blue [www.wago.com/2104-5304](http://www.wago.com/2104-5304)

**Item no.: 2104-5301**

3-conductor through terminal block; with lever and push-button; 4 mm<sup>2</sup>; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray [www.wago.com/2104-5301](http://www.wago.com/2104-5301)

#### Ground terminal block

**Item no.: 2104-1307**

3-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 4 mm<sup>2</sup>; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow [www.wago.com/2104-1307](http://www.wago.com/2104-1307)

**Item no.: 2104-5307**

3-conductor ground terminal block; with lever and push-button; 4 mm<sup>2</sup>; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow [www.wago.com/2104-5307](http://www.wago.com/2104-5307)

## Downloads

### Documentation

#### Bid Text

2104-1391 docx Download  
doc - Datei 20.8 kB

2104-1391 xml Download  
X81 - Datei 3.0 kB

#### Additional Information

pdf Download  
2.2 MB

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## CAD/CAE-Data

### CAE data

|                             |                     |                          |
|-----------------------------|---------------------|--------------------------|
| ZUKEN Portal 2104-1391      | <a href="#">URL</a> | <a href="#">Download</a> |
| EPLAN Data Portal 2104-1391 | <a href="#">URL</a> | <a href="#">Download</a> |

### CAD data

|                        |                     |                          |
|------------------------|---------------------|--------------------------|
| 2D/3D Models 2104-1391 | <a href="#">URL</a> | <a href="#">Download</a> |
|------------------------|---------------------|--------------------------|

## Environmental Product Compliance

### Compliance Search

|                                                                                                                             |                     |                          |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------|
| Environmental Product Compliance 2104-1391<br>End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; gray | <a href="#">URL</a> | <a href="#">Download</a> |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------|

## Installation Notes

## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!