

Data sheet | Item number: 890-623

Mounting plate; 3-pole; for distribution connectors; Plastic; black

www.wago.com/890-623



Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Item description

Mounting accessories *WINSTA*® MINI 3-pole

Choose proven accuracy for the installation at your construction site: The mounting accessories from the *WINSTA*® MINI product line. With WAGO, you get enjoy the advantages of a large selection of accessories for the *WINSTA*® product line. *WINSTA*® MINI is our response to the trend toward miniaturisation. Our smallest pluggable connection system is very good for lights, for example, since due to LED technology, these offer much less space for the connection technology.

Push-in *CAGE CLAMP*® spring pressure connection technology – pluggable installation instead of laborious screw connections!

Subject to changes. Please also observe the further product documentation!



The WINSTA® Pluggable Connection System is ideally tailored to the very strict requirements of building installation. It makes electrical installation pluggable, and therefore more efficient, even more reliable, and error-free. Use of this pre-assembled system reduces assembly times and installation errors at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WINSTA® MINI accessories from WAGO.

-
- consistent IP40 protection
- convenient installation and commissioning

Data

Connection data

Connection 1

Pole number	3
-------------	---

Mechanical Data

Mounting type	Screw mounting
Suitable	for distribution connectors (except T-distribution connectors); 3-pole

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.092 MJ
Weight	1.9 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	50 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454684594
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	EN 61535	08/20047 (E2)

Downloads

Documentation

Bid Text

890-623 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
890-623 doc - Datei	2015 年3月11 日	doc 22.0 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 890-623	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



CAE data

WSCAD Universe 890-623	URL	Download
ZUKEN Portal 890-623	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 890-623	URL	Download
Mounting plate; 3-pole; for distribution connectors; Plastic; black		

Installation Notes

Product family

WINSTA® MINI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!