

Data sheet | Item number: 279-317

End and intermediate plate; 2 mm thick; orange

www.wago.com/279-317



Data

Physical data

Width	2 mm / 0.079 inches
Height	67.8 mm / 2.669 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	25.4 mm / 1 inches
-------	--------------------

Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.093 MJ
Weight	3.1 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332295024
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block

Item no.: 279-604

4-conductor through terminal block; 1.5 mm²; suitable for Ex i applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm²; blue www.wago.com/279-604

Item no.: 279-621

4-conductor through terminal block; 1.5 mm²; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm²; gray www.wago.com/279-621

Double potential terminal block

Item no.: 279-626

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Double potential terminal block; 1.5 mm²; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP[®]; 1,50 mm²; gray www.wago.com/279-626

Component terminal block with LED

Item no.: 279-624/281-413
 Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm²; CAGE CLAMP[®]; 1,50 mm²; gray www.wago.com/279-624/281-413

Item no.: 279-624/281-434
 Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm²; CAGE CLAMP[®]; 1,50 mm²; gray www.wago.com/279-624/281-434

Component terminal block with diode

Item no.: 279-623/281-410
 Component terminal block; 4-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm²; CAGE CLAMP[®]; 1,50 mm²; gray www.wago.com/279-623/281-410

Item no.: 279-623/281-411
 Component terminal block; 4-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm²; CAGE CLAMP[®]; 1,50 mm²; gray www.wago.com/279-623/281-411

Item no.: 279-620/281-408
 Component terminal block; 4-conductor; for lamp test circuits up to 60 V; with 2 diodes 1N4007; Right-side anode; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm²; CAGE CLAMP[®]; 1,50 mm²; gray www.wago.com/279-620/281-408

Downloads

Documentation

Additional Information

pdf [Download](#)
 2.2 MB

CAD/CAE-Data

CAD data

2D/3D Models 279-317 [URL](#) [Download](#)

CAE data

EPLAN Data Portal 279-317 [URL](#) [Download](#)

WSCAD Universe 279-317 [URL](#) [Download](#)

ZUKEN Portal 279-317 [URL](#) [Download](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 279-317
End and intermediate plate; 2 mm thick; orange

URL

Download

Installation Notes

Subject to changes. Please also observe the further product documentation!