


**WMS 4,5 (EX7,5)R**

Order No.: 0821904

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0821904>

Conductor marking, can be labeled as per customer specifications

**Commercial data**

GTIN (EAN)	 4 046356 325554
sales group	B114
Pack	1 pcs.
Customs tariff	39173200
Catalog page information	Page 555 (CL-2009)

**Product notes**WEEE/RoHS-compliant since:  
11/06/2007

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****General**

Color	white
Base element material	polyolefine
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-55 °C ... 125 °C
Components	Silicone-free
Material	Polyolefine

**Accessories**

Item	Designation	Description
<b>General</b>		
0827856	THERMOMARK-RIBBON 55-WMSHF	
5145724	THERMOMARK-RIBBON 64-WMSE	Ink ribbon, Width: 64 mm, Color: black
5145737	THERMOMARK-RIBBON 64-WMSE BU	Ink ribbon, Width: 64 mm, Color: blue
5145740	THERMOMARK-RIBBON 64-WMSE RD	Ink ribbon, Width: 64 mm, Color: red

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;