




10	9	8	7
MATERIAL	ENG-NUMBER	LENGTH	LENGTH TOL.
1300290001	405000D12M010	1M (3'-4")	+58.7MM -(+2.31" -0")



NOTES:

- 1.) MATERIAL: SEE TABLE
- 2.) FINISHES: SEE TABLE
- 3.) ELECTRICAL: 60VAC 75VDC, 1.68 AMPS
- 4.) CABLE:  
TWO SHIELDED PAIRS  
26AWG/ 4C 300VDC  
-20 TO +70°C @ 1.68 AMPS
- 5.) IP67
- 6.) ASSEMBLY IS RoHS COMPLIANT

WIRING CONNECTION

DRAIN	BARE	1
V+	RED	2
CAN_H	WHITE	3
V-	BLACK	4
CAN_L	BLUE	5

7	1	MFG LABEL	PLASTIC FILM	BLACK/YELLOW
6	1	O-RING	VITON	RED
5	1	FEMALE COUPLING NUT	BRASS	NICKEL PLATED
4	5	FEMALE CONTACT	Cu ALLOY	GOLD PLATED
3	1	NC 5 POLE FEM. INSERT	PUR	BLACK
2	1	OVERMOLD BODY	TPE	GRAY
1	1	CABLE, 4P, 26 AWG	PVC JACKET	GRAY
ITEM	QTY	DESCRIPTION	MATERIAL	FINISH

CREATE DOC.  
EC NO: WNA2010-0452  
DRAWN: BRUPERT 2010/01/25  
CHKD: B. WOODMAN 2010/01/29  
APPR: J. MURPHY 2010/01/29

QUALITY SYMBOLS  
▽=0  
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	mm	INCH
	4 PLACES ± --- ± ---	3 PLACES ± --- ± ---
	2 PLACES ± --- ± ---	1 PLACE ± --- ± ---
ANGULAR ±1/2°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
IN/MM		2:1	INCH	☉
DRAWN BY	DATE	TITLE		
B. RUPERT	01/15/2010	NC 5P STR FEMALE DEVICENET		
CHECKED BY	DATE	MATERIAL NO.		
B. WOODMAN	01/15/2010	SD-130029-001		
APPROVED BY	DATE	DOCUMENT NO.		
J. MURPHY	2010/01/29	SHEET NO.		
SEE CHART		1 OF 1		

**MOLEX INCORPORATED**

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION