


PRODUCT NUMBER

10129275-312HLF




PLATING _____
 1 = 0.76µm GOLD/GXT
 ON CONTACT AREA
 TIN ON TAILS
 1.27µm Ni MIN UNDERLAYER

RoHS COMPATIBLE
 NOTE 1
 NB OF POSITIONS



NOTES:

- 1 - HOUSING MAT'L: HIGH TEMPERATURE THERMOPLASTIC
 FLAME RETARDANT PER UL 94 V-0, COLOR GREY
- 2 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 - PACKAGING IN TUBE.
- 5 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
 - a - PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE,
 2µm MINIMUM MATTE TIN OVER 1.27µm
 MINIMUM NICKEL UNDERPLATE.
 - b - MANUFACTURING PROCESS COMPATIBILITY
 - THE HOUSING WITHSTANDS EXPOSURE TO 260°C
 SOLDER BATH TEMPERATURE, IN A WAVE SOLDER APPLICATION.
 CAN ALSO WITHSTANDS REFLOW PROCESS AT 260°C FOR 30S.
 - c - LABELING:
 - MEETS PACKAGING SPECS AS PER GS-47-0004
 - d - LEGAL STATEMENT: SEE GS-22-008



RECOMMENDED HOLE PATTERN

mat'l. code		surface	tolerance	projection	product family
ltr		ISO 1302	ISO 406 ISO	101	DUBOX
ecn no	dr	tolerances unless otherwise specified		title	
A	LMU	14.07.21	linear	SR VCC TMT	
			angles	RECEPTACLE LONG TAILS	
			±2'	scale 7:1	
			.X ±0.3	dwg no	
			.XX ±0.13	sheet 1 of 1 size	
			.XXX ±0.05	10129275 A3	
		dr	L.MULIN	type	
		engr	J.COMPAGNON	CUSTOMER Drawing	
		chr			
		appd	JCO		
sheet	revision				
index	sheet				