

#### Buchanan

TE Internal #: 1546306-2

Barrier Strips, Dual Barrier, Wire-to-Wire, 2 Position, 9.53 mm [.375 in] Centerline, 2 Row, Operating Voltage 300 V, 22 – 12 AWG Wire

Size

View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: **Dual Barrier**Connector System: **Wire-to-Wire** 

Number of Positions: 2

Centerline (Pitch): 9.53 mm [ .375 in ]

Number of Rows: 2

### **Features**

### **Product Type Features**

Block Style	Non-Feed Through	
Connector System	Wire-to-Wire	
Connector & Contact Terminates To	Wire & Cable	
Configuration Features		
Number of Levels	1	
Number of Positions	2	
Number of Rows	2	
Electrical Characteristics		
Operating Voltage	300 V	
Body Features		
Quick Connect Tab Plating Material	Tin	
Primary Product Color	Black	
Product Orientation	Vertical	
Barrier Strip Style	Dual Barrier	
Contact Features		
Contact Base Material	Brass	

20 A

Contact Current Rating (Max)



Screw Plating Material	Nickel	
Screw Material	Steel	
Mounting Options	End Mounting Ears	
Thread Size	6-32	
Connector Mounting Type	Panel Mount	
Housing Features		
Housing Material	Thermoplastic	
Centerline (Pitch)	9.53 mm[.375 in]	
Dimensions		
Product Length	36.2 mm[1.426 in]	
Wire Size	$.3 - 3 \text{ mm}^2$	
Usage Conditions		
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]	
Operation/Application		
Circuit Application	Power	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	200	
Packaging Method	Carton	
Other		
Terminal Blocks & Strips Comment	Other options available upon request, consult our Product Information Center.	

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233)



				$C \setminus I \setminus I \cap I$
11000	$n \cap t$	contain	$R \vdash V \vdash H$	
	-1100L	COHIGH	REACH	$\mathbf{J} \mathbf{V} \mathbf{I} \mathbf{I} \mathbf{C}$

	alogen - Br, Cl, F, I < 900 ppm per genous material. Also BFR/CFR/PVC
--	--

Solder Process Capability

Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# **Customers Also Bought**



















### **Documents**

### **Product Drawings**

2P .374" DR BARRIER STRIP

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1546306-2\_K1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1546306-2\_K1.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1546306-2\_K1.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**BUCHANAN TERMINAL BLOCKS CATALOG - BARRIER STRIPS** 

English

1-1773458-2\_BARRIER\_STRIPS\_QUICK\_REFERENCE\_GUIDE

English

### **Product Environmental Compliance**

MD\_1546306-2\_05202016233\_dmtec

English

MD\_1546306-2\_05202016233\_dmtec

English