HOME | ABOUT US | CONTACT US | PRODUCTS | SERVICES | DOWNLOAD | TECHNICAL | NEWS | SITE MAP

Polycarbonate Watertight Enclosures with Clear Lids



TECHNICAL DATA:

- Base Color: Light Gray similar to RAL 7035 Base with a high- gloss finish
- Material: Injection molded Polycarbonate. Base is solid color. Lid is clear Lexan.
- Protection Classifications: NEMA Types—up to Nema 4X. IP 66, EN 60529
- Gasket Temperature Range: Neoprene Gasket –40°F to +212°F
- Captive Lid Screws
- Surface Resistance: >10¹⁵ Ohm / VDE 0303
- Disruptive Strength: >30 KV / mm / VDE 0303
- Toxicity: Halogen Free
- Approvals: UL Listed File #E206630, UL 50, UL 508
 CSA Approved Flammability: UL 94 V2





Rose+Bopla's Polycarbonate Watertight enclosures with clear lids offer design engineers an excellent, cost-effective, instrumentation box. The lid is made of clear polycarbonate which makes it ideal for viewing meters or counters that must be protected from water and dust. Polycarbonate clear lid watertight enclosures are often used as data loggers, digital odometer instruments and process control monitors. Polycarbonate offers high impact resistance and excellent chemical resistance.

The Polycarbonate Watertight enclosure includes a clear polycarbonate lid, a solid color polycarbonate base, captive stainless steel lid screws, molded-in lid screw inserts in the base, and a neoprene gasket.

Polycarbonate Watertight Enclosures with Clear Lids					
Part Number	Length Inches/mm	Width Inches/mm		Weight lbs.	CAD
02205400	2.04/52	1.96/50	1.37/35	.08	Exer
02206200	2.55/65	1.96/50	1.37/35	.11	Ž.
02210100	3.22/82	3.14/80	2.16/55	.30	Ž.
02225100	3.22/82	3.14/80	3.34/85	.38	Exer Exer
02215100	4.72/120	3.14/80	2.16/55	.48	Exer
02226100	4.72/120	3.14/80	3.34/85	.49	r. Eost
02220100	6.29/160	3.14/80	2.16/55	.51	r. Exer
02231100	6.29/160	3.14/80	3.34/85	.61	Exer Exer
02217200	4.80/122	4.72/120	2.16/55	.52	
02227100	4.80/122	4.72/120	3.54/85	.65	Exer
02228100	4.80/122	4.72/120	4.13/105	.77	Exer
02238100	6.29/160	4.72/120	3.54/90	.87	
02246100	6.29/160	4.72/120	5.51/140	1.32	
02221100	7.87/200	4.72/120	2.95/75	.87	.A.
02237100	7.87/200	4.72/120	3.54/90	1.03	Exer
02242100	9.44/240	4.72/120	3.93/100	1.04	
02223100	7.87/200	5.90/150	2.95/75	1.15	
02240300	9.44/240	6.29/160	3.54/90	1.43	
02243100	9.44/240	6.29/160	4.72/120	1.75	- Å-
02255100	14.17/360	7.87/200	5.90/150	3.41	Exer
02253100	11.81/300	9.05/230	3.34/85	2.01	.A.
02254100	11.81/300	9.05/230	4.33/110	2.54	Exer Exer

Note: Dimensions are external. Metric is the primary dimension. Inch conversions and weights are for the user's convenience and are for reference only.

We have attempted to present the information about our enclosures on this website in a straight-forward manner. We offer this information as accurate at the time of publication. Specifications are subject to change without notice. Rose+Bopla Enclosures is not responsible for inadvertent errors.

©2010 Phoenix Mecano Inc., 7330 Executive Way, Frederick, MD 21704, 301-696-9800, rbinfo@pm-usa.com