

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


ALL RIGHTS RESERVED.

© COPYRIGHT - By -


LOC AF DIST 50

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	S3	ECR-15-005665	10AUG2015	BDA	PKS



IDENTIFICATION NUMBER FOR MAGNET WIRE RANGE



3 SLOT TERMINATES A SINGLE MAGNET WIRE ONLY, COPPER
 0.64-0.81mm[#22-#20]AWG
 SLOT TERMINATES A SINGLE WIRE ONLY, ALUMINUM
 0.72-0.91mm
 [#21-#19] AWG
 ALUMINUM WIRE RANGE APPLIES FOR POST-TIN PLATED VERSIONS ONLY.

- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 5.59[.220] CENTERS
- 2 AFTER INSERTION INTO PLASTIC HOLDER TAB PORTION MUST BE BENT OVER 45° TO 90° OR POTTED-IN TO PREVENT PULL-OUT WHEN MATING RECEPTACLE IS DISCONNECTED



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± -
	1 PLC ± -
	2 PLC ± -
	3 PLC ± 0.25[.010]
	4 PLC ± -
	ANGLES ± -
MATERIAL BRASS	FINISH SEE TABLE

DWN D.K. SCHRUM 12/4/89	NAME
CHK M.S. FEHER 12/19/89	
APVD -	PRODUCT SPEC 108-2012
	APPLICATION SPEC 114-2046
WEIGHT -	RESTRICTED TO -
CUSTOMER DRAWING	

VARNISH RESIST OVER TIN PL	62511-2
TIN PLATE	62511-1
FINISH	PART NUMBER
STE TE Connectivity	
TAB, .187 FASTON, MAG-MATE	
SIZE A3	CAGE CODE 00779
DRAWING NO C-62511	RESTRICTED TO -
SCALE 4:1	SHEET 1 OF 1
REV S3	