

Data sheet | Item number: 734-191

Operating tool; made of insulating material; 1-way; loose; black

www.wago.com/734-191



Data

Technical data

Main product function	Operating tool
Number of spacings	1 -way

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Depth	18.9 mm / 0.75 inches
Pin spacing	3.5/3.81 mm

Mechanical Data

Suitable	for 734, 2734 Series
----------	----------------------

Material Data

Color	black
Material group	I
Insulation material	Glass fiber-reinforced polyamide (PA66 GF)
Flammability class per UL94	HB
Fire load	0.006 MJ
Weight	0.2 g

Commercial data

Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454830076
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

CAD/CAE-Data

CAD data

2D/3D Models 734-191	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



CAE data

ZUKEN Portal 734-191

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 734-191

[URL](#)

[Download](#)

Operating tool; made of insulating material; 1-way; loose; black

Installation Notes



Inserting a conductor via operating tool.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.