

Shield connection terminal block - SKS 32-D - 3062906

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Shield connection terminal block, for applying the shield directly to the conductive mounting plates

The illustration shows SKS 20-D

Product Features

- The SKS ... spring shield connection clamps are available for cable and conductor diameters of 3 to 20 mm
- According to the requirements of the directive and standards for electrical equipment in potentially explosive areas, as components, shield connections are not able to gain certification. As such, shield connection clamps of type SKS can be used in the Ex area even without appropriate approval and identification.

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	95.0 g
Custom tariff number	85369010
Country of origin	Romania

Technical data

General

Number of levels	1
Number of connections	1
Cable diameter	15 mm ... 32 mm
Color	silver

Dimensions

Length	36 mm
Width	32 mm
Height	64.00 mm

Connection data

Conductor cross section solid min.	15 mm ²
Conductor cross section solid max.	32 mm ²

Shield connection terminal block - SKS 32-D - 3062906

Technical data

Connection data

Conductor cross section flexible min.	15 mm ²
Conductor cross section flexible max.	32 mm ²
Conductor cross section AWG min.	6
Conductor cross section AWG max.	3
Connection method	Spring-cage

Classifications

eCl@ss

eCl@ss 4.0	27141111
eCl@ss 4.1	27141111
eCl@ss 5.0	27141145
eCl@ss 5.1	27141145
eCl@ss 6.0	27149214
eCl@ss 7.0	27149214
eCl@ss 8.0	27141150

ETIM

ETIM 3.0	EC002020
ETIM 4.0	EC002020
ETIM 5.0	EC002020

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

GOST

Ex Approvals

Shield connection terminal block - SKS 32-D - 3062906

Approvals

Approvals submitted

Approval details

