

AMP | AMP CPC TE Internal #: 1977877-1 Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Receptacle, Pin, Signal, Black, All Plastic, AMP CPC

View on TE.com >

Connectors > Power Connectors > Circular Power > Circular Power Connectors

Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Number of Positions: 4

Sealable: Yes

## Features

#### **Product Type Features**

Connector Seal & Plug Type	Peripheral, Wire Entry Seal
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable



Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic
Configuration Features	
Reverse Numbering	Without
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Electrical Characteristics	
Operating Voltage	600 VAC
Contact Features	
Reverse Gender	No
Contact Type	Pin
Contact Protection	With
Mechanical Attachment	

**C** For support call+1 800 522 6752

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Receptacle, Pin, Signal, Black, All Plastic, AMP CPC



Mating Alignment Type	Keyed
Mating Alignment	With
Mating Retention Type	Threaded Coupling
Thread Size	5/8-24 UNEF-2A
Polarization Code	A
Mating Retention	With
Panel Mount Feature	Without
Housing Features	
Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon (UV Resistant)
Circular Connector Shell Size	11
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	Immersion
Operation/Application	
Circuit Application	Signal

Shielded	No

## Industry Standards

UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Receptacle, Pin, Signal, Black, All Plastic, AMP CPC



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



SLD CPC PLUG ASY,11-4,STD SEX, UV RESIST	CAP, CPC, SIZE 11 RECP & 13 PLUG, YELLOW	CAP, CPC, SIZE 11 RECP & 13 PLUG, ORANGE	CAP, CPC, SIZE 11 RECP & 13 PLUG, RED	
TE Part # 1-2407269-2 CAP, CPC, SIZE 11 RECP & 13 PLUG, BLACK				
	TE Part # 1-2407269-2 CAP, CPC, SIZE 11 RECP & 13 PLUG,	RESIST   YELLOW     TE Part # 1-2407269-2   CAP, CPC, SIZE 11 RECP & 13 PLUG,	RESIST YELLOW ORANGE   TE Part # 1-2407269-2 CAP, CPC, SIZE 11 RECP & 13 PLUG, Image: Cape and the second sec	RESIST YELLOW ORANGE RED   TE Part # 1-2407269-2 CAP, CPC, SIZE 11 RECP & 13 PLUG, Image: Capacity of the second seco

## Also in the Series AMP CPC

Circular Connector Adapters(7)	Circular Connector Caps & Covers(16)	Circular Connector Hardware(3)	Circular Connector Keying Plugs(2)

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Receptacle, Pin, Signal, Black, All Plastic, AMP CPC



Circular Power Connectors(459)	Connector Backshells(56)	Connector Seals & Cavity Plugs(36)	Connector Strain Relief(6)
Insertion & Extraction Tools(1)	Power Contacts(6)	Sealing Sleeves(2)	

# Customers Also Bought

TE Part #1-206062-4	TE Part #66101-3	TE Part #66359-9	TE Part #487526-6	
1 E Part #1-206062-4	1E Part #66101-3	I E Part #66357-7	I E Part #48/526-6	

CABLE CLAMP KIT #11	III+ SKT,18-16,15AU/FL,LP	Strip Pin and Socket Contacts, Type III	007 HOUSING FFC RCPT 100CL SR
TE Part #350550-2 UMNL SOK 20-14 AU/BR L/P	TE Part #130014 TERM, R, PG, 22-16, M5	TE Part #1-350777-1 02P UMNL V0 PLUG HSG BROWN	TE Part #1-968855-1 AMP MCP 2.8, CONTACT SWS

TE Part #1747995-1 GHC EYELET 6.2 3POS PLUG HOUSING NATURAL

Documents

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Receptacle, Pin, Signal, Black, All Plastic, AMP CPC



Product Drawings SLD CPC RCPT ASY,11-4,STD SEX, UV RESIST

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1977877-1\_B.2d\_dxf.zip

English

Customer View Model ENG\_CVM\_CVM\_1977877-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1977877-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Environmental Compliance** 

Product Compliance

English

**Product Compliance** 

English