

Data sheet | Item number: 769-414

Strain relief plate; for female and male connectors; 1 part; Pin spacing 5 mm;
10- to 15-pole; gray

www.wago.com/769-414



Color:

Data

Material Data

Note (material data)

Information on material specifications can be found here

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Color	gray
Fire load	0.134 MJ
Weight	1.9 g

Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332333221
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

769-414 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
769-414 doc - Datei	2017 年5月30 日	doc 24.1 kB	Download

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 769-414		URL	Download
----------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

CAE data

WSCAD Universe 769-414	URL	Download
ZUKEN Portal 769-414	URL	Download


Environmental Product Compliance

Compliance Search


Environmental Product Compliance 769-414 Strain relief plate; for female and male connectors; 1 part; Pin spacing 5 mm; 10- to 15-pole; gray	URL	Download
---	---------------------	--------------------------

Installation Notes

Strain relief



Removing a female plug via conductor bundle provided with strain relief plate.



Strain relief plates can be snapped into both male connector and female plug.

Subject to changes. Please also observe the further product documentation!