1-102694-0 - ACTIVE

AMPMODU

TE Internal #: 1-102694-0 Standard Rectangular Connectors, Connector Assembly, Housing for Female Terminals, Insulation Displacement (IDC), Wire-to-Board, Gold, High, UL 94V-0

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: Connector Assembly

Connector & Housing Type: Housing for Female Terminals

Mating Alignment: Without

Mating Retention: Without

Termination Method to Wire & Cable: Insulation Displacement (IDC)

Features

Product Type Features

Connector Product Type

Connector & Housing Type

Connector System

Connector Assembly

Housing for Female Terminals

Wire-to-Board

Insertion Force Type	High
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Contacts Preloaded	Yes
Number of Loaded Positions	10
Number of Positions	10
Number of Rows	2
Contact Features	
Contact Layout	Matrix
Wire Contact Termination Area Plating Material	Tin
Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Gold
Contact Retention Within Housing	With
Contact Current Rating (Max)	3 A

1-102694-0

Standard Rectangular Connectors, Connector Assembly, Housing for Female Terminals, Insulation Displacement (IDC), Wire-to-Board, Gold, High, UL 94V-0



Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
Mechanical Attachment	
Contact Retention Type Within Housing	Locking Lance
Mating Alignment	Without
Mating Retention	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Connector Height	6.1 mm[.24 in]
Product Length	12.7 mm[.5 in]
Row-to-Row Spacing	2.54 mm[.1 in]
Wire Size	.13 – .3 mm²
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]

Operation/Application

Shielded	No
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	250
Packaging Method	Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

1-102694-0

Standard Rectangular Connectors, Connector Assembly, Housing for Female Terminals, Insulation Displacement (IDC), Wire-to-Board, Gold, High, UL 94V-0



Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Solder Process Capability

Halogen Content


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



1-102694-0

Standard Rectangular Connectors, Connector Assembly, Housing for Female Terminals, Insulation Displacement (IDC), Wire-to-Board, Gold, High, UL 94V-0







Documents

Product Drawings

10 AMPMODU MT ASSY DR .100CL

English

CAD Files 3D PDF

English

Customer View Model ENG_CVM_1-102694-0_P.2d_dxf.zip

English

Customer View Model

ENG_CVM_1-102694-0_P.3d_igs.zip

English

Customer View Model

ENG_CVM_1-102694-0_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English

Product Environmental Compliance TE Material Declaration

English