

Data sheet | Item number: 2022-2292

End and intermediate plate; 1 mm thick; orange

[www.wago.com/2022-2292](http://www.wago.com/2022-2292)



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	79.5 mm / 3.13 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	51.1 mm / 2.012 inches
-------	------------------------

**Mechanical Data**

Mounting type	snap-on type
---------------	--------------

**Material Data**

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.11 MJ
Weight	3.6 g

**Environmental requirements**

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

**Commercial data**

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454913830
Customs tariff number	85389099990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



## Required accessories

### End plate

Through terminal block	
<b>Item no.: 2022-2233</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; L /N; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2233">www.wago.com/2022-2233</a>
<b>Item no.: 2022-2233/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; L /N; with marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2233/999-953">www.wago.com/2022-2233/999-953</a>
<b>Item no.: 2022-2232/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; N /L; with marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2232/999-953">www.wago.com/2022-2232/999-953</a>
<b>Item no.: 2022-2234/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; N /N; with marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-2234/999-953">www.wago.com/2022-2234/999-953</a>
<b>Item no.: 2022-2234</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; N /N; with marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-2234">www.wago.com/2022-2234</a>
<b>Item no.: 2022-2238</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm <sup>2</sup> ; L; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2238">www.wago.com/2022-2238</a>
<b>Item no.: 2022-2238/999-953</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm <sup>2</sup> ; L; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2238/999-953">www.wago.com/2022-2238/999-953</a>
<b>Item no.: 2022-2239/999-953</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm <sup>2</sup> ; N; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-2239/999-953">www.wago.com/2022-2239/999-953</a>
<b>Item no.: 2022-2239</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm <sup>2</sup> ; N; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-2239">www.wago.com/2022-2239</a>
<b>Item no.: 2022-2232</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; N /L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2232">www.wago.com/2022-2232</a>
<b>Item no.: 2022-2231</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm <sup>2</sup> ; L /L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP <sup>®</sup> ; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2231">www.wago.com/2022-2231</a>
<b>Item no.: 2022-2201</b>	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



1-conductor/1-pin double deck receptacle terminal block; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2201">www.wago.com/2022-2201</a>
<b>Item no.: 2022-2201/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; L /L; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2201/999-953">www.wago.com/2022-2201/999-953</a>
<b>Item no.: 2022-2202/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; N /L; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2202/999-953">www.wago.com/2022-2202/999-953</a>
<b>Item no.: 2022-2202</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; N /L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2202">www.wago.com/2022-2202</a>
<b>Item no.: 2022-2203/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; L /N; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2203/999-953">www.wago.com/2022-2203/999-953</a>
<b>Item no.: 2022-2204/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; N /N; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2022-2204/999-953">www.wago.com/2022-2204/999-953</a>
<b>Item no.: 2022-2208/999-953</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm²; L; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2208/999-953">www.wago.com/2022-2208/999-953</a>
<b>Item no.: 2022-2208</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm²; L; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2208">www.wago.com/2022-2208</a>
<b>Item no.: 2022-2209</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm²; N; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2022-2209">www.wago.com/2022-2209</a>
<b>Item no.: 2022-2209/999-953</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm²; N; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2022-2209/999-953">www.wago.com/2022-2209/999-953</a>
<b>Item no.: 2022-2203</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; L /N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2203">www.wago.com/2022-2203</a>
<b>Item no.: 2022-2204</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; N /N; without marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2022-2204">www.wago.com/2022-2204</a>
<b>Item no.: 2022-2231/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; L /L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2022-2231/999-953">www.wago.com/2022-2231/999-953</a>

Subject to changes. Please also observe the further product documentation!



## Ground terminal block

<b>Item no.: 2022-2227/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/L; suitable for Ex nA applications; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2227/999-953">www.wago.com/2022-2227/999-953</a>
<b>Item no.: 2022-2237/999-953</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm <sup>2</sup> ; PE; suitable for Ex nA applications; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-2237/999-953">www.wago.com/2022-2237/999-953</a>
<b>Item no.: 2022-2247/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/N; suitable for Ex nA applications; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2247/999-953">www.wago.com/2022-2247/999-953</a>
<b>Item no.: 2022-2257/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/L; suitable for Ex nA applications; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2257/999-953">www.wago.com/2022-2257/999-953</a>
<b>Item no.: 2022-2257</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2257">www.wago.com/2022-2257</a>
<b>Item no.: 2022-2237</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm <sup>2</sup> ; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-2237">www.wago.com/2022-2237</a>
<b>Item no.: 2022-2247</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/N; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2247">www.wago.com/2022-2247</a>
<b>Item no.: 2022-2207</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm <sup>2</sup> ; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-2207">www.wago.com/2022-2207</a>
<b>Item no.: 2022-2207/999-953</b> 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm <sup>2</sup> ; PE; suitable for Ex nA applications; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-2207/999-953">www.wago.com/2022-2207/999-953</a>
<b>Item no.: 2022-2217</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2217">www.wago.com/2022-2217</a>
<b>Item no.: 2022-2217/999-953</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/N; suitable for Ex nA applications; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-2217/999-953">www.wago.com/2022-2217/999-953</a>
<b>Item no.: 2022-2227</b> 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm <sup>2</sup> ; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50	<a href="http://www.wago.com/2022-2227">www.wago.com/2022-2227</a>

Subject to changes. Please also observe the further product documentation!

mm<sup>2</sup>; gray**Item no.: 2022-2237/427-000**

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm<sup>2</sup>; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/2022-2237/427-000](http://www.wago.com/2022-2237/427-000)

**Downloads****Documentation****Bid Text**

2022-2292 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2022-2292 doc - Datei	2017 年4月28 日	doc 22.5 kB	Download
--------------------------	--------------	----------------	----------

**Additional Information**

		pdf 2.2 MB	Download
--	--	---------------	----------

**CAD/CAE-Data****CAD data**

2D/3D Models 2022-2292		URL	Download
------------------------	--	-----	----------

**CAE data**

WSCAD Universe 2022-2292		URL	Download
--------------------------	--	-----	----------

ZUKEN Portal 2022-2292		URL	Download
------------------------	--	-----	----------

EPLAN Data Portal 2022-2292		URL	Download
-----------------------------	--	-----	----------

**Environmental Product Compliance****Compliance Search**

Environmental Product Compliance 2022-2292 End and intermediate plate; 1 mm thick; orange		URL	Download
--	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Installation Notes

## Product family

**X-COM S**

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.