




**Data**  
**Technical data**

|                       |                |
|-----------------------|----------------|
| Main product function | Operating tool |
| Number of spacings    | 1 -way         |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Material Data

|                             |                                            |
|-----------------------------|--------------------------------------------|
| Color                       | natural                                    |
| Material group              | I                                          |
| Insulation material         | Glass fiber-reinforced polyamide (PA66 GF) |
| Flammability class per UL94 | HB                                         |
| Fire load                   | 0.283 MJ                                   |
| Weight                      | 9.4 g                                      |

## Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| eCl@ss 10.0           | 27-14-11-92                    |
| eCl@ss 9.0            | 27-14-11-92                    |
| ETIM 8.0              | EC002848                       |
| ETIM 7.0              | EC002848                       |
| PU (SPU)              | 100 (1) pcs                    |
| Packaging type        | box                            |
| Country of origin     | DE                             |
| GTIN                  | 4017332096393                  |
| Customs tariff number | 39269097900                    |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Downloads

### Documentation

#### Bid Text

|                        |              |                |          |
|------------------------|--------------|----------------|----------|
| 209-129<br>X81 - Datei | 2019 年2月19 日 | xml<br>2.6 kB  | Download |
| 209-129<br>doc - Datei | 2017 年9月11 日 | doc<br>24.1 kB | Download |

## Environmental Product Compliance

### Compliance Search

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



[URL](#)

[Download](#)

Environmental Product Compliance 209-129

Operating tool; made of insulating material; 1-way; for 279 Series; natural

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.