

Data sheet | Item number: 282-451

Miniature metric fuse; without indicator; 5 x 20 mm; medium-slow

www.wago.com/282-451



Data

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	250 V
Rated current	6.3 A

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material Data

Note (material data)

Information on material specifications can be found here

Weight	1.2 g
--------	-------

Commercial data

eCl@ss 10.0	27-14-20-01
eCl@ss 9.0	27-14-20-01
ETIM 8.0	EC002704
ETIM 7.0	EC000035
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454029531
Customs tariff number	85361010900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

282-451 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
282-451 doc - Datei	2017 年6月12 日	doc 24.1 kB	Download

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 282-451		URL	Download
------------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 282-451

URL

Download

Miniature metric fuse; without indicator; 5 x 20 mm; medium-slow

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.