## Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <a href="http://www.renesas.com">http://www.renesas.com</a>

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<a href="http://www.renesas.com">http://www.renesas.com</a>)

Send any inquiries to http://www.renesas.com/inquiry.



#### Notice

- 1. All information included in this document is current as of the date this document is issued. Such information, however, is subject to change without any prior notice. Before purchasing or using any Renesas Electronics products listed herein, please confirm the latest product information with a Renesas Electronics sales office. Also, please pay regular and careful attention to additional and different information to be disclosed by Renesas Electronics such as that disclosed through our website.
- 2. Renesas Electronics does not assume any liability for infringement of patents, copyrights, or other intellectual property rights of third parties by or arising from the use of Renesas Electronics products or technical information described in this document. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
- 3. You should not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part.
- 4. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation of these circuits, software, and information in the design of your equipment. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from the use of these circuits, software, or information.
- 5. When exporting the products or technology described in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations. You should not use Renesas Electronics products or the technology described in this document for any purpose relating to military applications or use by the military, including but not limited to the development of weapons of mass destruction. Renesas Electronics products and technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations.
- 6. Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.
- 7. Renesas Electronics products are classified according to the following three quality grades: "Standard", "High Quality", and "Specific". The recommended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below. You must check the quality grade of each Renesas Electronics product before using it in a particular application. You may not use any Renesas Electronics product for any application categorized as "Specific" without the prior written consent of Renesas Electronics. Further, you may not use any Renesas Electronics product for any application for which it is not intended without the prior written consent of Renesas Electronics. Renesas Electronics shall not be in any way liable for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for an application categorized as "Specific" or for which the product is not intended where you have failed to obtain the prior written consent of Renesas Electronics. The quality grade of each Renesas Electronics product is "Standard" unless otherwise expressly specified in a Renesas Electronics data sheets or data books, etc.
  - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots.
  - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control systems; anti-disaster systems; anti-crime systems; safety equipment; and medical equipment not specifically designed for life support.
  - "Specific": Aircraft; aerospace equipment; submersible repeaters; nuclear reactor control systems; medical equipment or systems for life support (e.g. artificial life support devices or systems), surgical implantations, or healthcare intervention (e.g. excision, etc.), and any other applications or purposes that pose a direct threat to human life.
- 8. You should use the Renesas Electronics products described in this document within the range specified by Renesas Electronics, especially with respect to the maximum rating, operating supply voltage range, movement power voltage range, heat radiation characteristics, installation and other product characteristics. Renesas Electronics shall have no liability for malfunctions or damages arising out of the use of Renesas Electronics products beyond such specified ranges.
- 9. Although Renesas Electronics endeavors to improve the quality and reliability of its products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please be sure to implement safety measures to guard them against the possibility of physical injury, and injury or damage caused by fire in the event of the failure of a Renesas Electronics product, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult, please evaluate the safety of the final products or system manufactured by you.
- 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please use Renesas Electronics products in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. Renesas Electronics assumes no liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 11. This document may not be reproduced or duplicated, in any form, in whole or in part, without prior written consent of Renesas Electronics
- 12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products, or if you have any other inquiries.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its majority-owned subsidiaries.
- (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.





# R0E521174CSJ00

Converter Board for 20-pin 0.65-mm-pitch LSSOP

## User's Manual

\* NQPACK, YQPACK, YQSOCKET, YQ-GUIDE, HQPACK, TQPACK, TQSOCKET, NSPACK, YSPACK, HSPACK and YS-GUIDE are trademarks of Tokyo Eletech Corporation.

#### Keep safety first in your circuit designs!

• Renesas Technology Corporation and Renesas Solutions Corporation put the maximum effort into making semiconductor products better and more reliable, but there is always the possibility that trouble may occur with them. Trouble with semiconductors may lead to personal injury, fire or property damage. Remember to give due consideration to safety when making your circuit designs, with appropriate measures such as (i) placement of substitutive, auxiliary circuits, (ii) use of nonflammable material or (iii) prevention against any malfunction or mishap.

#### Notes regarding these materials

- These materials are intended as a reference to assist our customers in the selection of the Renesas Technology product best suited to the customer's application; they do not convey any license under any intellectual property rights, or any other rights, belonging to Renesas Technology Corporation, Renesas Solutions Corporation or a third party.
- Renesas Technology Corporation and Renesas Solutions Corporation assume no responsibility for any damage, or infringement of
  any third-party's rights, originating in the use of any product data, diagrams, charts, programs, algorithms, or circuit application
  examples contained in these materials.
- All information contained in these materials, including product data, diagrams, charts, programs and algorithms represents information on products at the time of publication of these materials, and are subject to change by Renesas Technology Corporation and Renesas Solutions Corporation without notice due to product improvements or other reasons. It is therefore recommended that customers contact Renesas Technology Corporation, Renesas Solutions Corporation or an authorized Renesas Technology product distributor for the latest product information before purchasing a product listed herein. The information described here may contain technical inaccuracies or typographical errors. Renesas Technology Corporation and Renesas Solutions Corporation assume no responsibility for any damage, liability, or other loss rising from these inaccuracies or errors. Please also pay attention to information published by Renesas Technology Corporation and Renesas Solutions Corporation by various means, including the Renesas home page (http://www.renesas.com).
- When using any or all of the information contained in these materials, including product data, diagrams, charts, programs, and algorithms, please be sure to evaluate all information as a total system before making a final decision on the applicability of the information and products. Renesas Technology Corporation and Renesas Solutions Corporation assume no responsibility for any damage, liability or other loss resulting from the information contained herein.
- Renesas Technology semiconductors are not designed or manufactured for use in a device or system that is used under circumstances in which human life is potentially at stake. Please contact Renesas Technology Corporation, Renesas Solutions Corporation or an authorized Renesas Technology product distributor when considering the use of a product contained herein for any specific purposes, such as apparatus or systems for transportation, vehicular, medical, aerospace, nuclear, or undersea repeater use.
- The prior written approval of Renesas Technology Corporation and Renesas Solutions Corporation is necessary to reprint or reproduce in whole or in part these materials.
- If these products or technologies are subject to the Japanese export control restrictions, they must be exported under a license from the Japanese government and cannot be imported into a country other than the approved destination. Any diversion or reexport contrary to the export control laws and regulations of Japan and/or the country of destination is prohibited.
- Please contact Renesas Technology Corporation or Renesas Solutions Corporation for further details on these materials or the
  products contained therein.

#### Precautions to be taken when using this product

- This product is a development supporting unit for use in your program development and evaluation stages. In mass-producing your
  program you have finished developing, be sure to make a judgment on your own risk that it can be put to practical use by performing
  integration test, evaluation, or some experiment else.
- In no event shall Renesas Solutions Corporation be liable for any consequence arising from the use of this product.
- Renesas Solutions Corporation strives to renovate or provide a workaround for product malfunction at some charge or without charge.
   However, this does not necessarily mean that Renesas Solutions Corporation guarantees the renovation or the provision under any circumstances.
- This product has been developed by assuming its use for program development and evaluation in laboratories. Therefore, it does not
  fall under the application of Electrical Appliance and Material Safety Law and protection against electromagnetic interference when
  used in Japan.



If the requirements shown in the "CAUTION" sentences are ignored, the equipment may cause personal injury or damage to the products.

Renesas Tools Homepage http://www.renesas.com/en/tools

#### 1. Outline

The R0E521174CSJ00 is a converter board for connecting the emulation probe R0E521000EPB00 and the compact emulator R0E521000CPE00 for R8C/Tiny Series to a foot pattern for 20-pin 0.65-mm-pitch LSSOP (PLSP0020JB-A, formerly 20P2F-A) of R8C/14, 15, 16, 17, 18, 19, 1A, 1B, 28 and 29 Groups.

## 2. Package Components (See Figure 1)

Table 1 Package Components

Item	Quantity
R0E521174CSJ00 (Base board R0E521000CIF00 and 150mm FFC cable included)	1 pc.
YSPACK20BG (made by Tokyo Eletech Corporation)	1 pc.
NSPACK20BG (made by Tokyo Eletech Corporation)	1 pc.
YS-GUIDE (made by Tokyo Eletech Corporation)	2 pcs.
R0E521174CSJ00 User's Manual (This manual)	1 pc.




Figure 1 Package components of the R0E521174CSJ00

## 3. Specifications

**Table 2 Specifications** 

Applicable package	PLSP0020JB-A, formerly 20P2F-A (20-pin 0.65-mm-pitch LSSOP)
Insertion/removal iterations of connector	Between R0E521174CSJ00 and YSPACK20BG: 100 times guaranteed
	Between R0E521000EPB00 or R0E521000CPE00 and R0E521174CSJ00: 50 times guaranteed

### 4. Usage (See Figure 2)

The R0E521174CSJ00 can be used for debugging and board mounted evaluation in common by mounting the NSPACK20BG on the user system.

#### (1) For debugging

Mount the NSPACK20BG and YSPACK20BG on the foot pattern of the user system in that order. And fix them with the YS-GUIDE's (do not use the screws included with the YSPACK20BG).

After connecting the R0E521000EPB00 or R0E521000CPE00 and R0E521174CSJ00, connect the R0E521174CSJ00 to the YSPACK20BG.

#### (2) For onboard evaluation

Mount an R8C/14, 15, 16, 17, 18, 19, 1A, 1B, 28 and 29 Groups MCU and HSPACK20BG (separately available) in that order on the NSPACK20BG on the user system. And fix them using a screw included with the HSPACK20BG.

Before using the R0E521174CSJ00, be sure to read "7. Precautions" on page 4 and the R0E521000EPB00 or R0E521000CPE00 User's Manual.




Figure 2 Usage of the R0E521174CSJ00

## 5. Connection Procedure (See Figure 3)

The procedure for connecting the R0E521174CSJ00 is shown below.

- (1) Mount the NSPACK20BG on the user system.
- (2) Attach the YSPACK20BG on the NSPACK20BG.
- (3) Secure the two corners of the YSPACK20BG with the YS-GUIDE's.
  - Do not use the screws included with the YSPACK20BG for fixing the YSPACK20BG.
  - The screwdriver included with the NSPACK020BG is used for fixing the HSPACK020BG. Do not use it for fixing the YS-GUIDE's.
- (4) Attach the R0E521000EPB00 or R0E521000CPE00 to the R0E52174CSJ00.
- (5) Attach the R0E521174CSJ00 to the YSPACK20BG.




Figure 3 Connection procedure of the R0E521174CSJ00

## 6. External Dimensions and a Sample Foot Pattern (See Figure 4)




Figure 4 External dimensions and a sample foot pattern of the R0E521174CSJ00

#### 7. Precautions

## **⚠** CAUTION

#### **Cautions to Be Taken for This Product:**



- Do not pull or excessively flex the cable. The cable may cause a break.
- When connecting the YSPACK20BG, be sure to use the included YS-GUIDE's.
- Do not use the screws included with the YSPACK20BG to fix it.

### **IMPORTANT**

#### **Notes on This Product:**

- We cannot accept any request for repair.
- For purchasing the NSPACK20BG, YSPACK20BG and HSPACK20BG, contact the following: Daimaru Kogyo Ltd. http://www.daimarukogyo.co.jp/
  Tokyo Eletech Corporationhttp://www.tetc.co.jp/e tet.htm
- For inquiries about the product or the contents of this manual, contact your local distributor. Renesas Tools Homepage http://www.renesas.com/en/tools

#### 8. How to Add an MCU File

If an MCU file for the R8C/28 and 29 Groups cannot be selected after starting up the emulator debugger, add an MCU file following the procedure below.

- (1) Please download an MCU file installer which is suitable for your emulator from the download site below. http://tool-support.renesas.com/eng/toolnews/download/r8c26 29.htm
  - When using with the compact emulator R0E521000CPE00 MCU file installer: MCU\_Files\_install\_cpe\_R8C\_26-29.exe
  - When using with the emulation probe R0E521000EPB00 MCU file installer: MCU Files install epb R8C 26-29.exe
- (2) Execute the installer to add the MCU file.