


CF 500/DIE SR 6-2 - Crimp insert

1212692

<https://www.phoenixcontact.com/pc/products/1212692>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Die for CF 500 crimping machine, for solar contacts, 2.5 mm², 4 mm², 6 mm²

Commercial data

Item number	1212692
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH323Z
Catalog page	Page 511 (C-3-2019)
GTIN	4046356714778
Weight per piece (including packing)	69 g
Weight per piece (excluding packing)	69 g
Customs tariff number	84799070
Country of origin	DE

CF 500/DIE SR 6-2 - Crimp insert



1212692

<https://www.phoenixcontact.com/pc/products/1212692>

Technical data

Product properties

Product type	Die
Compression	B crimp
Max. cross section	2.5 mm ²
Max. cross section	4 mm ²
Max. cross section	6 mm ²

Connection data

Conductor connection

Cross section range, metric	2.5 mm ² ... 6 mm ²
-----------------------------	---

CF 500/DIE SR 6-2 - Crimp insert



1212692

<https://www.phoenixcontact.com/pc/products/1212692>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/1212692>



EAC

Approval ID: RU C-DE.AI30.B.01549

CF 500/DIE SR 6-2 - Crimp insert



1212692

<https://www.phoenixcontact.com/pc/products/1212692>

Classifications

ECLASS

ECLASS-11.0	17130192
ECLASS-12.0	17130192
ECLASS-13.0	17130192

ETIM

ETIM 8.0	EC002778
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

CF 500/DIE SR 6-2 - Crimp insert

1212692

<https://www.phoenixcontact.com/pc/products/1212692>

Accessories

CF 500/COV - Covering hood

1212250

<https://www.phoenixcontact.com/pc/products/1212250>



Protective hood for CF 500 crimping device, for ferrules: 10 ... 25 mm² (AI 25, AI 50), TWIN ferrules: 6 ... 16 mm² (AI-TWIN 16), uninsulated cable lugs : 16 mm² (RC 16), turned contacts: 6 ... 10 mm² (TC HC 10)

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com