



DIMENSIONS



TERMINATION



TIN LEAD PART NUMBER


PART NUMBER
86093967894755130E1

LEAD FREE PART NUMBER

PART NUMBER
86093967894755A1LF

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C-8609-0000C

P.C. CARD DRILLING (Component side view)



SPECIFICATION 130= 3 grounding pins in position :
OR SPECIFICATION AI= Row: a-b-c Cavity: 32

rev	ecn no	dr	date
B	-	ROU	1999/11/30
C	LS05-004	JTA	2005/02/26
D	LS06-0095	LGO	2006/06/24
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection A3	mm
TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	ROUILLARD	1998/03/19	ANGULAR	0.X	±0.1
Eng	TARON	1998/03/19	LINEAR	0.XX	±0.1
Chr	LEGARE	1998/03/19	0.XX' ±2'	0.XXX	±0.1
Appr	LEGARE	1998/03/19	Product family	DIN 8609	Spec ref -
title REVERSE MALE 3 ROW 96 CONTACTS			dwg no C-8609-0703		Rev. D
NETAS code A9903096			CUSTOMER		sheet 1 of 1
catalog no					

European Views

Copyright FCI.