

Data sheet | Item number: 2022-1392

End and intermediate plate; 1 mm thick; orange

[www.wago.com/2022-1392](http://www.wago.com/2022-1392)



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	58.9 mm / 2.319 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	31.6 mm / 1.244 inches
-------	------------------------

**Mechanical Data**

Mounting type	snap-on type
---------------	--------------

**Material Data**

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.058 MJ
Weight	1.9 g

**Commercial data**

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454913793
Customs tariff number	85389099990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Required accessories****End plate**

Through terminal block

Item no.: 2022-1302

2-conductor/1-pin carrier terminal block; 2.5 mm<sup>2</sup>; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; orange[www.wago.com/2022-1302](http://www.wago.com/2022-1302)

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 2022-1301/999-953</b> 2-conductor/1-pin carrier terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-1301/999-953">www.wago.com/2022-1301/999-953</a>
<b>Item no.: 2022-1304/999-953</b> 2-conductor/1-pin carrier terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-1304/999-953">www.wago.com/2022-1304/999-953</a>
<b>Item no.: 2022-1304</b> 2-conductor/1-pin carrier terminal block; 2.5 mm <sup>2</sup> ; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2022-1304">www.wago.com/2022-1304</a>
<b>Item no.: 2022-1301</b> 2-conductor/1-pin carrier terminal block; 2.5 mm <sup>2</sup> ; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2022-1301">www.wago.com/2022-1301</a>
<b>Item no.: 2222-1302/999-953</b> 2-conductor/1-pin carrier terminal block; with push-button; 2.5 mm <sup>2</sup> ; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2222-1302/999-953">www.wago.com/2222-1302/999-953</a>
Ground terminal block	
<b>Item no.: 2022-1307</b> 2-conductor/1-pin ground carrier terminal block; 2.5 mm <sup>2</sup> ; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-1307">www.wago.com/2022-1307</a>
<b>Item no.: 2022-1307/999-953</b> 2-conductor/1-pin ground carrier terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2022-1307/999-953">www.wago.com/2022-1307/999-953</a>

## Downloads

### Documentation

#### Bid Text

2022-1392 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
2022-1392 doc - Datei	2017 年4月28 日	doc 22.5 kB	Download

#### Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 2022-1392		URL	Download
------------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



#### CAE data

EPLAN Data Portal 2022-1392	<a href="#">URL</a>	<a href="#">Download</a>
WSCAD Universe 2022-1392	<a href="#">URL</a>	<a href="#">Download</a>
ZUKEN Portal 2022-1392	<a href="#">URL</a>	<a href="#">Download</a>

#### Environmental Product Compliance

##### Compliance Search

Environmental Product Compliance 2022-1392 End and intermediate plate; 1 mm thick; orange	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

#### Installation Notes

#### Product family

##### X-COM S

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!