


TE Internal #: 188826-4 Eurocard Connectors, Receptacle, Board-to-Board, 31 Position, .2 in [5.08 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16 Column

### View on TE.com >

**E T E connectivity** 

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Receptacle

Connector System: Board-to-Board

Termination Post & Tail Length: 4 mm [.157 in ]

Number of Positions: 31

Centerline (Pitch): 5.08 mm [.2 in ]

## Features

## Product Type Features

Connector & Housing Type	Receptacle	
Connector System	Board-to-Board	
Connector & Contact Terminates To	Printed Circuit Board	
DIN Size	Standard	
DIN Level	II	
Configuration Features		
Number of Positions	31	
Number of Rows	3	
PCB Mount Orientation	Right Angle	
Number of Columns	16	
Number of Signal Positions	31	
Rows Loaded	Z, B, D	
Termination Features		
Termination Post & Tail Length	4 mm[.157 in]	

## 188826-4

Eurocard Connectors, Receptacle, Board-to-Board, 31 Position, .2 in [5.08 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16 Column



## **Mechanical Attachment**

Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	5.08 mm[.2 in]
Dimensions	
Row-to-Row Spacing	3.81 mm[.15 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC

### Halogen Content

Solder Process Capability

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**

## 188826-4

Eurocard Connectors, Receptacle, Board-to-Board, 31 Position, .2 in [5.08 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16 Column





# Customers Also Bought



DR2.5/8.N.ADO	IMP,H,4PR16C,RGLeft EWG,5.5,Sn0.46	SEAL RET, 3P, BLK, DTM	RN 0805 750R 0.1% 5PPM 5K RL
TE D. + #122152 E			
TE Part #133152-E			
Documents			
Product Drowings			
Product Drawings 31P.IEC-F FEM.CONN			
English			
CAD Files			

## 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_188826-4\_B.2d\_dxf.zip

## 188826-4

Eurocard Connectors, Receptacle, Board-to-Board, 31 Position, .2 in [5.08 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16 Column



English

Customer View Model ENG\_CVM\_CVM\_188826-4\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_188826-4\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance TE Material Declaration

English