

1002668

https://www.phoenixcontact.com/us/products/1002668

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device adapter with fuse holder for 16 A fuse (10x38/Class CC), CrossLink[®] interface and fixed DIN rail

Your advantages

- · Cable ends ultrasound-compressed
- · Snap-on mechanism for quick and easy attachment to the CrossPowerSystem power distribution board

Commercial data

Item number	1002668
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	CK7832
Catalog page	Page 53 (C-5-2019)
GTIN	4055626468105
Weight per piece (including packing)	128.9 g
Weight per piece (excluding packing)	126.5 g
Customs tariff number	85369095
Country of origin	DE



Fuses not included with delivery. Suitable fuses are to be found

1002668

https://www.phoenixcontact.com/us/products/1002668

Technical data

General

Notes

		under accessories.
Product properties		
	Product type	Adapter
	Product family	CrossPowerSystem
	Application	Device adapter
Electrical properties		

E

Rated voltage	690 V AC (IEC)
	600 V AC (UL)
Rated current	16 A (IEC)
	12.5 A (UL)
Rated surge voltage	6 kV

Dimensions

Width	22.5 mm
Height	160 mm

Approvals

UL data

SCCR	50 kA (Class CC 20 A / 600 V AC)
	(



1002668

https://www.phoenixcontact.com/us/products/1002668

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1002668



EAC

Approval ID: RU C-DE.BL08.B.00511



UL Listed

Approval ID: FILE E 123528



cUL Listed

Approval ID: FILE E 123528

cULus Listed



1002668

https://www.phoenixcontact.com/us/products/1002668

Classifications

ECLASS

	ECLASS-11.0	27371392
	ECLASS-12.0	27371392
	ECLASS-13.0	27371392
ETIM		
	ETIM 8.0	EC002498
UNSPSC		
	UNSPSC 21.0	39121100



https://www.phoenixcontact.com/us/products/1002668



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



https://www.phoenixcontact.com/us/products/1002668



Mandatory accessories

EM-CPS-225 - Power distribution board

1002634

https://www.phoenixcontact.com/us/products/1002634



Modular power distribution board with CrossLink® interface, 125 A, 3-pos., touch-proof and protection against polarity reversal, width: 225 mm

EM-CPS-405 - Power distribution board

1002635

https://www.phoenixcontact.com/us/products/1002635



Modular power distribution board with CrossLink® interface, 125 A, 3-pos., touch-proof and protection against polarity reversal, width: 405 mm

Accessories



https://www.phoenixcontact.com/us/products/1002668



FUSE-10X38-16A-GR - Fuse

2903126

https://www.phoenixcontact.com/us/products/2903126



Fuse, number: 10 Pcs., fuse type: Fuse (CC), nominal current: 16 A, tripping characteristic: super-fast blow (gR) $\,$

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com