





REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APPROV.
A		RELEASED	26FEB2016	JW SH

- 1. MATERIAL: CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY.
EMI SPRINGS: COPPER ALLOY.
- 2. FINISH:
SPRINGS: MINIMUM OF 0.8um TIN PLATE OVER A MINIMUM OF 0.8um NICKEL UNDERPLATE.
NON-PLATED EDGES PERMISSIBLE.
- 3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- 4. PADS AND VIAS CHASSIS GROUND.
- 5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- 6. MINIMUM PCB BOARD THICKNESS:
SINGLE SIDED = 1.50
DOUBLE SIDED = 2.25
- 7. HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- 8. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 9. REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 10. REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 11. CERTAIN MATING TRANSCEIVERS MAY REQUIRE ADDITIONAL PCB THICKNESS THAT WOULD BE DETERMINED BY THE CUSTOMER.
- 12. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.



2170057-1
FINISHED ASSEMBLY
SCALE 4:1




2170057-1
CAGE ASSEMBLY
MOUNTED BELLY TO BELLY ON PCB
SCALE 4:1

2170057-1
PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: TIM XUE 17FEB2011	TE Connectivity
DIMENSIONS: mm		CHK: MANOJAN WANG 17FEB2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: MANOJAN WANG 17FEB2011	NAME: SFP+ 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS
0 PLC ±0.1		PRODUCT SPEC: 108-2364	
1 PLC ±0.1		APPLICATION SPEC: 114-13120	SIZE: A1 CAGE CODE: 2170057 RESTRICTED TO:
2 PLC ±0.1		WEIGHT: -	
3 PLC ±0.1		CUSTOMER DRAWING	SCALE: 5:1
4 PLC ±0.1			SHEET 1 OF 4
ANGLES ±1°			REV A

GP 00


REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APP'D.
-	-	SEE SHEET 1	-	-




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 5:2



2170057-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1




RECOMMENDED BEZEL CUT-OUT
BELLY TO BELLY APPLICATIONS
SCALE 4:1



2170057-1
MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: TIM XUE 17FEB2011	TE Connectivity
DIMENSIONS: mm		CHK: MANOJAN WANG 17FEB2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: MANOJAN WANG 17FEB2011	NAME: SFP+ 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS
0 PLC	±0.1	PRODUCT SPEC	SIZE: A1
1 PLC	±0.1	108-2364	CAGE CODE: 2170057
2 PLC	±0.1	APPLICATION SPEC	RESTRICTED TO: -
3 PLC	±0.1	114-13120	SCALE: 2:1
4 PLC	±0.1	WEIGHT: -	SHEET: 2 OF 4
ANGLES	±1°	CUSTOMER DRAWING	REV: A

REVISIONS				
REV	DATE	BY	APP'D	DESCRIPTION
1				SEE SHEET 1




DETAIL X
 RECOMMENDED PT CONNECTOR LAYOUT
 6X INDIVIDUALLY
 SCALE 10:1

RECOMMENDED PCB CONFIGURATION
 WITH KEEP-OUT AREAS
 SINGLE SIDED APPLICATIONS Δ

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: TIM XUE 17FEB2011	TE Connectivity
DIMENSIONS: mm		CHK: MANOJAN WANG 17FEB2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: MANOJAN WANG 17FEB2011	NAME: SFP+ 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS
0 PLC \pm 0.1		PRODUCT SPEC: 108-2364	SIZE: A1
1 PLC \pm 0.1		APPLICATION SPEC: 114-13120	RESTRICTED TO: -
2 PLC \pm 0.1		WEIGHT: -	SCALE: 2:1
3 PLC \pm 0.1		CUSTOMER DRAWING	SHEET 3 OF 4
4 PLC \pm 0.1			REV A
ANGLES \pm 1°			
FINISH: -			

REVISIONS				
REV	DATE	DESCRIPTION	BY	APP'D
-	-	SEE SHEET 1	-	-



RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT AREAS BELLY TO BELLY APPLICATIONS

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: TIM XUE 17FEB2011	TE Connectivity
DIMENSIONS: mm		CHK: MANOJAN WANG 17FEB2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: MANOJAN WANG 17FEB2011	NAME: SFP+ 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS
0 PLC	±0.1	PRODUCT SPEC	108-2364
1 PLC	±0.1	APPLICATION SPEC	114-13120
2 PLC	±0.1	WEIGHT	-
3 PLC	±0.1	SCALE	2:1
4 PLC	±0.1	SHEET	4 OF 4
ANGLES	±1°	REV	A
MATERIAL	-	CUSTOMER DRAWING	-