
Jumper; 10-way; silver-colored

www.wago.com/745-390





Data Electrical data

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/745-390



Ratings per IEC/EN

Rated current	41 A

Physical data

Pin spacing	10 mm / 0.394 inches
Jumper assignment	1-2-3-4-5-6-7-8-9-10

Mechanical Data

Suitable for 745 Series (6 mm²) and 2706 Series	
---	--

Material Data

Note (material data)

Information on material specifications can be found here

Color	silver-colored
Contact material	Copper alloy
Contact plating	Tin
Weight	10.2 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	200 (50) pcs
Packaging type	box
Country of origin	СН
GTIN	4017332608442
Customs tariff number	85366990990

Environmental Product Compliance

RODS COMBINANCE STATUS	RoHS Compliance Status	Compliant, No Exemption	
------------------------	------------------------	-------------------------	--

Downloads

Documentation

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/745-390



Additional Information

	2019 年4月3日	pdf 2.0 MB	Download
CAD/CAE-Data			
CAD data			
2D/3D Models 745-390		URL	Download
CAE data			
ZUKEN Portal 745-390		URL	Download
Environmental Product Compliance			
Compliance Search			
Environmental Product Compliance 745-390		URL	Download
Jumper; 10-way; silver-colored			

ı		1 - 4!	NI - +
ı	ınstai	ıatıon	Notes



Inserting a comb-style jumper bar.

To insert a comb-style jumper bar, push it down using a screwdriver until it hits the backstop – 745 Series.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/745-390



To remove the jumper bar, lift it up using a screwdriver – 745 Series.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.