


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AJ	17	P	LTR	DESCRIPTION	DATE	DWN	APVD
		B		REV PER EC 0514-0092-05	10DEC2005	REH	KW



1064305-1
PART NUMBER

1 CONNECTOR CENTERLINES SHALL BE ALIGNED WITHIN ±30°.

CONNECTOR	MATERIAL	FINISH
OUTER CONTACT	BERYLLIUM COPPER	GOLD PLATE
CENTER CONTACT	BERYLLIUM COPPER	GOLD PLATE
DIELECTRIC	POLYPROPYLENE, GF	N/A
CABLE		
JACKET	POLYVINYL CHLORIDE (PVC)	N/A
SHIELD	SILVER PLATED COPPER WIRE, 38 AWG	N/A
DIELECTRIC	PERFLUOROALKOXY (PFA)	N/A
CENTER CONDUCTOR	SILVER PLATED COPPER CLAD STEEL, 30 AWG	N/A
INSULATING DISK	POLYESTER	N/A
COMPONENT	MATERIAL	FINISH

ELECTRICAL	FREQUENCY DC - 6 GHz NOMINAL IMPEDENCE 50 OHMS VOLTAGE RATING 250 VOLTS (VRMS MAX) @ SEA LEVEL VSWR (MATED CONNECTORS ONLY) 1.20:1 MAX @ 2 GHz 1.40:1 MAX @ 6 GHz INSULATION RESISTANCE 1,000 MEGOHMS MIN DIELECTRIC WITHSTANDING VOLTAGE 500 VOLTS (VRMS MIN) @ SEA LEVEL
MECHANICAL	CONNECTOR DURABILITY 100 MATING CYCLES
ENVIRONMENTAL	TEMPERATURE RATING -40°C(-40°F) TO +105°C(221°F)

PRODUCT SPEC

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P.RESNIC CHK	24MAY91	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD P. Resnic 05/13/92 NAME OSMT RIGHT ANGLE JACK TO JACK CABLE ASSY	
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT - CUSTOMER DRAWING	
MATERIAL		FINISH		SIZE A2 CAGE CODE 00779 DRAWING NO C=1064305	RESTRICTED TO - SCALE 12:1 SHEET 1 of 1 REV B

1064305