

LoRaWAN LiDAR ToF Distance Sensor

LLDS40



OVERVIEW:

The Dragino LLDS40 is a LoRaWAN LiDAR ToF (Time of Flight) Distance Sensor for Internet of Things solution. It is capable of measuring the distance to objects as close as 0m to 40m. The LiDAR probe uses laser induction technology for distance measurement.

The LLDS40 can be applied to scenarios such as horizontal distance measurement, parking management system, object proximity and presence detection, intelligent trash can management system, robot obstacle avoidance, automatic control, sewer, etc.

It detects the distance between the measured object and the sensor, and uploads the value via wireless to LoRaWAN IoT Server.

The LoRa wireless technology used in LLDS40 allows device to send data and reach extremely long ranges at low data-rates. It provides ultra-long range spread spectrum communication and high interference immunity whilst minimizing current consumption.

LLDS40 is powered by 8500mAh Li-SOCI2 battery, it is designed for long term use up to 5 years.

Each LLDS40 is pre-load with a set of unique keys for LoRaWAN registrations, register these keys to local LoRaWAN server and it will auto connect after power on.

Features:

- Uplink on periodically
- Monitor Battery Level
- Ultra-low power consumption
- Downlink to change configure
- LoRaWAN v1.0.3 Class A protocol
- 8500mAh Battery for long-term use
- AT Commands to change parameters
- Laser technology for distance detection
- Bands: CN470/EU433/KR920/US915/EU868/ AS923/AU915/IN865
- Measure Distance: 0.1m ~ 40m @ 90% Reflectivity

Dragino Technology Co., Limited

Room 202, Block B, BCT Incubation Bases (BaoChengTai), No.8 CaiYunRoad LongCheng Street, LongGang District ; Shenzhen 518116,China Direct: +86 755 86610829 |Fax: +86 755 86647123

Applications:

- Sewer
- Automatic control
- Robot obstacle avoidance
- Parking management system
- Horizontal distance measurement
- Object proximity and presence detection
- Intelligent trash can management system

Order Info: LLDS40-XXX

 XXX: Frequency Bands, options: EU433,CN470,EU868,IN865 KR920,AS923,AU915,US915

WWW.DRAGINO.COM sales@dragino.com