FASTIN-FASTON | FASTIN-FASTON 110

TE Internal #: 160887-4

Quick Disconnects, Tab, 20 – 15 AWG Wire Size, .51 – 1.65 mm²

Wire Size, Mating Tab Width 2.8 mm [.11 in], Straight, Brass,

FASTIN-FASTON 110

View on TE.com >



Terminals & Splices > Quick Disconnects











Quick Disconnect Terminal Type: Tab

Wire Size: .51 – 1.65 mm²

Mating Tab Width: 2.8 mm [.11 in]

Mating Tab Thickness: .81 mm [.032 in]

Features

Product Type Features

Insertion Force

Configuration Features	
Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Quick Disconnect Terminal Type	Tab
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Pre-Tin
Crimp Type	F-Crimp
Barrel Type	Open

Normal



Product Terminates To	Wire & Cable
Mechanical Attachment	
Wire Insulation Support	With
Mating Retention Type	Dimple
Dimensions	
Terminal Material Thickness	.41 mm[.016 in]
Product Length	21.4 mm[.842 in]
Compatible Insulation Diameter Range	1.4 – 2.3 mm[.055 – .09 in]
Wire Size	.51 – 1.65 mm²
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Packaging Features	
Packaging Quantity	6000
Packaging Method	Strip/Reel
Other	
Terminals & Splices Comment	According to DIN 46343, Part 1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











TE Part # 2-2150319-2 OCEAN_2.0_Applicator-E-080F110OV-A



TE Part # 2150319-2 OCEAN_2.0_Applicator-E-080F110OV-A



TE Part # 7-2150319-2
OCEAN_2.0_Applicator-E-080F110OV-A



080F110OV



Also in the Series | FASTIN-FASTON 110






Automotive Housings(6)




Automotive Terminals(6)




Crimp Terminal Housings(34)



Insertion & Extraction Tools(3)



Customers Also Bought



TE Part #626062 FASTIN-ON HOUSING REC PA66 NATURAL



TE Part #160655-4

FF 110 REC TERMINAL 20-15 AWG

PTPPB




TE Part #1703061-1
PLUG, 2 CIRCUIT , UNIVERSAL MATE-N-LOK













TE Part #925014
2 P FF 110(2.8 MM) HOUSING
RECEPTACLE

Documents

RBK-ILS-125-NR3-0-25MM



Product Drawings

FF 110 TAB 0.5-1.0MM2 PTPPB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_160887-4_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_160887-4_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_160887-4_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English