

**Data sheet | Item number: 726-901**

Insulation stop; 0.08 - 0.2 mm<sup>2</sup> "s" (0.14 mm<sup>2</sup> "f-st"); 4 x 3 pieces/strip; white

[www.wago.com/726-901](http://www.wago.com/726-901)



Color:

**Data  
Notes**

Safety information

Suitable for patchboard side (side 1) of 1.5 mm<sup>2</sup> matrix patchboards  
(front side differs from back side)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Connection data

### Connection 1

Solid conductor	0.08 ... 0.2 mm <sup>2</sup> / 28 ... 24 AWG
Fine-stranded conductor	0.14 mm <sup>2</sup> / 14 AWG
Strip length	8 ... 10 mm / 0.31 ... 0.39 inches

## Material Data

Note (material data)	Information on material specifications can be found here
Color	white
Fire load	0.02 MJ
Weight	0.7 g

## Commercial data

Product Group	12 (Matrix Patch Board)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	200 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4044918094191
Customs tariff number	39269097900

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Documentation

#### Bid Text

726-901	2019 年2月21 日	docx	Download
docx - Datei		14.3 kB	

Subject to changes. Please also observe the further product documentation!

726-901 X81 - Datei	2019 年2月19 日	xml 2.8 kB	Download
------------------------	--------------	---------------	----------

**Additional Information**

pdf 2.3 MB	Download
---------------	----------

**CAD/CAE-Data**

**CAE data**

WSCAD Universe 726-901	URL	Download
------------------------	-----	----------


**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 726-901 Insulation stop; 0.08 - 0.2 mm <sup>2</sup> ""s"" (0.14 mm <sup>2</sup> ""f-st""); 4 x 3 pieces/strip; white	URL	Download
--	-----	----------

**Installation Notes**

**Conductor termination**



Inserting an insulation stop into conductor entry holes of matrix patchboards.



Insulation stop is in place.

Subject to changes. Please also observe the further product documentation!