

AMPMODU | AMPMODU HE 13/HE 14

TE Internal #: 281695-4

PCB Mount Header, Vertical, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, Through Hole - Solder,


AMPMODU HE 13/HE 14

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > HE13/HE14 TH Headers, SRST











Connector System: Wire-to-Board

Number of Positions: 4
Number of Rows: 1

Centerline (Pitch): 2.54 mm [.1 in]
PCB Mount Orientation: Vertical

All HE13/HE14 TH Headers, SRST (21)

Features

Product Type Features

Connector System	Wire-to-Board
Header Type	Partially Shrouded
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
PCB Connector Assembly Type	PCB Mount Header

Configuration Features

Connector Contact Load Condition	Fully Loaded
Number of Positions	4
Number of Rows	1
PCB Mount Orientation	Vertical

Electrical Characteristics

Insulation Resistance	1000 ΜΩ



Dielectric Withstanding Voltage (Max)	500 V	
Body Features		
Primary Product Color	Blue	
Contact Features		
Contact Mating Area Length	7 mm	
Mating Square Post Dimension	.64 mm[.025 in]	
Contact Mating Area Plating Material Thickness	.8 μm[31 μin]	
Contact Shape & Form	Square	
Contact Mating Area Plating Material Finish	Matte	
Contact Underplating Material	Nickel	
PCB Contact Termination Area Plating Material	Tin	
Contact Base Material	Phosphor Bronze	
Contact Mating Area Plating Material	Tin	
Contact Type	Pin	
Contact Current Rating (Max)	3 A	
Termination Features		
Square Termination Post & Tail Dimension	.63 mm[.025 in]	
Termination Post & Tail Length	2.9 mm	
Termination Method to Printed Circuit Board	Through Hole - Solder	
Mechanical Attachment		
Mating Alignment Type	Polarization	
Mating Retention	With	
Panel Mount Feature	Without	
Connector Mounting Type	Board Mount	
Mating Alignment	With	
PCB Mount Retention	Without	
Housing Features		
Housing Material	High Temperature Thermoplastic	
Centerline (Pitch)	2.54 mm[.1 in]	
Usage Conditions		
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]	
Operation/Application		



Circuit Application	Signal		
Industry Standards			
Approved Standards	CSA LR7189, UL E28476		
UL Flammability Rating	UL 94V-0		
Packaging Features			
Packaging Quantity	2000		
Packaging Type	Bag		

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts












Also in the Series | AMPMODU HE 13/HE 14



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(83)



Wire-to-Board Connector Assemblies & Housings(131)




Wire-to-Board Connector Contacts(4)


Customers Also Bought




TE Part #281839-8 HOUSING HE13 HE14 COSI 2X8 P



TE Part #281698-4 HEADER HE14 RA 4 P




TE Part #281739-4 HEADER HE14 STRAIGHT 2X4 P



TE Part #281742-6 HEADER HE14 RA 2X6 P



TE Part #281695-8 HEADER HE14 STRAIGHT 8 P



TE Part #281786-6 PLUG HE14 IDC 180 6 P AWG 28-26



TE Part #2000892-2 Backplane Connector: PCB Mount Receptacle, 120 position



Documents

Product Drawings
HEADER HE14 STRAIGHT 4 P

English

CAD Files

Customer View Model ENG_CVM_CVM_281695-4_G.2d_dxf.zip PCB Mount Header, Vertical, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, Through Hole - Solder, AMPMODU HE 13/HE 14



English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_281695-4_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_281695-4_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

French

Product Environmental Compliance

MD_281695-4_06122014118_dmtec

English

MD_281695-4_06122014118_dmtec

English