

Description: PIN 25x25x7 GPS Active Antenna

PART NUMBER: ANT2525JB08B1575A

Features:

- Size: 25.0x25.0x7.0 mm
- High radiation efficiency
- Integrated LNA
- Flexible cable/connector option
- RoHS compliant

Applications:

- Navigation device
- Telematics box
- Tracker

Ceramic Patch Antenna ELECTRICAL SPECIFICATIONS

Description Dimension Centre Frequency Gain **VSWR Polarization Impedance Axis Ratio**

Beam Width

VALUE $25 \times 25 \times 4 \text{ mm}^3$ GPS 1575 + 2 MHz 5.5 dBic (Typ.) 2.0 Max. Right Hand Circular Polarization 50Ω

> 150 Degrees

 \leq 3dB

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and rederal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



Description: PIN 25x25x7 GPS Active Antenna

PART NUMBER: ANT2525JB08B1575A

LNA ELECTRICAL SPECIFICATIONS

Description	VALUE
Centre Frequency	1575 ± 1.023 MHz
Gain	16 dB(Typ.)
Output VSWR	1.5 (Max.)
Noise Figure	1.4 dB (Typ.)
Supply Voltage	$3.0 \pm 0.3V$
Current Consumption	5.0 mA (Typ.)
Power Consumption	15.0 mW (Typ.)
Output Impedance	50Ω
Operating Temperature	-30 ~ +85 °C
Humidity	< 95% .
Storage Temperature	-40 ~ +125 °C

NOTE


- 1. Based on 70×70 mm² ground plane (with customer's housing)
- 2. Centre frequency will be offset to working frequency while changes of customer's housing and ground plane.
- 3. Please contact local sales if you need customized design to gain optimum antenna performance.



Description: PIN 25x25x7 GPS Active Antenna

PART NUMBER: ANT2525JB08B1575A

ELECTRICAL SPECIFICATIONS



Length	25.0 +/- 0.2 mm
Width	25.0 +/- 0.2 mm
Thickness	6.9 +/- 0.2 mm
Cable	Diameter= 1.13 mm; Length= 75 mm
Connector	l-pex
Shielding Case	15×14×2 mm



Description: PIN 25x25x7 GPS Active Antenna

PART NUMBER: ANT2525JB08B1575A

REVISION HISTORY				
Revision	Date	Description		
Version 1	Nov. 23, 2020	- New issue		