

Philips screwdriver - SZK PZ3 VDE - 1212599

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Screwdriver, PZ crosshead, VDE insulated, size: PZ 3 x 150 mm, 2-component grip, with non-slip grip



The figure shows the SZK PZ2 version

Product Features

- VDE approval
- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head



Key commercial data

| | |
|--------------------------------------|----------------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 160.0 GRM |
| Custom tariff number | 82054000 |
| Country of origin | Czech Republic |

Technical data

Dimensions

| | |
|--------------|--------|
| Length (b) | 262 mm |
| Width (a) | 40 mm |
| Blade height | 150 mm |

General

| | |
|---------------|--------------------|
| Design | Phillips |
| Type | Straight |
| Material | Alloyed tool steel |
| Test standard | DIN/ISO 8764-1 PZ |

Philips screwdriver - SZK PZ3 VDE - 1212599

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 21043074 |
| eCl@ss 4.1 | 21043074 |
| eCl@ss 5.0 | 21040290 |
| eCl@ss 5.1 | 21040290 |
| eCl@ss 6.0 | 21040290 |
| eCl@ss 7.0 | 21040290 |
| eCl@ss 8.0 | 21040290 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000144 |
| ETIM 5.0 | EC000144 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27111701 |
| UNSPSC 7.0901 | 27111701 |
| UNSPSC 11 | 27111701 |
| UNSPSC 12.01 | 27111701 |
| UNSPSC 13.2 | 27111701 |

Approvals

Approvals


Approvals

VDE Zeichengenehmigung / GOST / GOST

Ex Approvals

Approvals submitted

Approval details

| |
|--|
| VDE Zeichengenehmigung  |
|--|

Philips screwdriver - SZK PZ3 VDE - 1212599

Approvals

GOST 

GOST 

Drawings

Pictogram

