


1 2 3 4 5 6


LOADING PATTERN MATING SIDE

f	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
e	6	5	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6
d	6	5	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6
c	6	5	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6
b	6	5	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6
a	6	5	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6	5	5	5	5	6
z	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P O S	0						1						2						2			
	1						5						0						5			


LOADED CONNECTOR ASSEMBLY (FOR EXAMPLE)



CONTACT OVERVIEW



LAY-OUT P.C.B.-HOLE



LEAD FREE INDICATOR : LF = LEAD FREE (DIGIT 15 & 16)

HM2PN2PDP2K5

PLATING CODE (DIGIT 13 AND 14) (REF DRW NO. BS,C , 201844 , 003)

NOTES

- THIS PRODUCT IS CSA APPROVED.
- THIS PRODUCT IS UL RECOGNIZED.
- MEASURED AT THE BOTTOM.
- MATERIAL CONTACT: PHOSPHORBRONZE  
HOUSING: CREAM WHITE GLASS FILLED POLYESTER UL-94V0
- CONNECTOR PRINTED WITH P/N AND DATE CODE.
- FOR ACTUAL CONTACT LOADINGS, SEE LOADING PATTERN MATING SIDE.
- SHAPE OF CONNECTOR HOUSING CAN ALTER DEPENDING ON PRODUCTION LOCATION
- THIS PRODUCT (LF) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
- FOR RECOMMENDED PTH DIMENSIONS REFER DRAWING : BS, A , 201572 , 001

PART NO. HM2PN2PDP2K5----

mat'l. code SEE NOTE 4			surface ISO 1302 <input checked="" type="checkbox"/>	tolerance ISO 406 ISO 1101	projection 	product family MLLIPACS			
ltr	ecn no	dr	date		tolerances unless otherwise specified	title			
A	105-0139	MINI	2005/08/10		angles linear 0° $\pm$ 1°	MM	MPACS 5+2R STR HDR PF CONN TYPE B (WIDTH = 15.4 MAX)		
B	106-0099	MINI	2006/07/08						
			dr	MINI K VANDANATH	2005/06/14	dwg no		sheet 1 of 1	size 5
			enr	BIJU K PAUL	2005/06/14	BS, C , 203028,261		A3	
			chr	BIJU K PAUL	2006/07/08	type		Product Customer	Drawing
			appd	BIJU K PAUL	2006/07/08				
sheet index		revision sheet	B	1					