# TRIPP-LITE

1000 Eaton Boulevard Cleveland, OH 44122 United States

## 3-Port Metal DIN-Rail Mounting Module for Snap-In Keystone Jacks and Couplers, Silver, TAA

## MODEL NUMBER: N063-003



Accepts snap-in keystone jacks and couplers to help you manage your DIN-rail network cable application.

#### Features

#### Organizes a Wide Variety of Ethernet Network Patch Cables in Your DIN-Rail Installation

This DIN-rail mounting module lets you manage network cable interconnectivity with three blank cutouts, which accommodate all snap-in keystone jacks and in-line couplers. Made from sheet metal with nickel plating, the N063-003 is quick and easy to install on a standard 35-millimeter DIN rail using the built-in mounting clip.

#### **TAA-Compliant for GSA Schedule Purchases**

The N063-003 is compliant with the Federal Trade Agreements Act (TAA), which makes it eligible for GSA (General Services Administration) Schedule and other federal procurement contracts.

# **Specifications**

| OVERVIEW                 |                                |  |
|--------------------------|--------------------------------|--|
|                          |                                |  |
| UPC Code                 | 037332276889                   |  |
| Technology               | Cat5/5e; Cat6; Cat6a           |  |
|                          |                                |  |
| Firmware / Software Docs |                                |  |
| Offset Ports             | No                             |  |
|                          |                                |  |
| PHYSICAL                 |                                |  |
| Primary Form Factor      | DIN-Rail                       |  |
| Color                    | Silver                         |  |
| Material of Construction | SUS304 & SPCC NI PLATE (STEEL) |  |

### Highlights

- Heavy-duty metal construction ideal for industrial Ethernet network applications
- 3 blank cutouts compatible with all keystone jacks and couplers
- Built-in mounting clip attaches to standard 35 mm DIN rail with no tools needed
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

#### Package Includes

N063-003 Metal DIN-Rail Mounting Module, 3 Ports



| Total Number of Ports                  | 3  |
|--|--|
| Shipping Dimensions (hwd / in.)        | 2.10 x 4.50 x 8.00   |
| Shipping Weight (lbs.)                 | 0.15   |
| Unit Dimensions (hwd / in.)            | 2.120 x 1.940 x 2.380                                      |
| ENVIRONMENTAL                          |  |
| Operating Temperature Range            | -13° to 122°F (-25° to 50°C)                               |
| Storage Temperature Range              | -40° to 158°F (-40° to 70°C)                               |
| Operating Humidity Range               | 10% to 85% RH, Non-Condensing                              |
| Storage Humidity Range                 | 10% to 85% RH, (Non-Condensing)                            |
| CONNECTIONS                            |  |
| Number of Ports                        | 3  |
| Side A - Connector 1                   | (3) KEYSTONE JACK CUTOUT                                   |
| FEATURES & SPECIFICATIONS              |  |
| All-in-One Kit                         | No   |
| Antibacterial                          | No   |
| IP68 Rated                             | No   |
| IP20 Rated                             | No   |
| Numbered Ports                         | No   |
| DIN Mountable                          | Yes  |
| Keystone Jacks                         | Yes  |
| Built-in Cables                        | No   |
| Color-Coded Connections                | No   |
| EIA/TIA 2/32 Spacing                   | No   |
| Labeled Ports                          | No   |
| Down-Angled Ports                      | No   |
| Panel Applications                     | Ethernet   |
| STANDARDS & COMPLIANCE                 |  |
| Product Compliance                     | CE (Europe); REACH; RoHS; UKCA; Trade Agreements Act (TAA) |
| WARRANTY & SUPPORT                     |  |
| Product Warranty Period<br>(Worldwide) | Lifetime limited warranty                                  |



1000 Eaton Boulevard Cleveland, OH 44122 United States



© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.