Datasheet revision 1.3 <u>www.chipquik.com</u>

# Liquid Flux Alcohol-Based No-Clean in 6ml (0.2oz) Refillable Pen with Tip + Brush

## **Product Highlights**

No-Clean
Low solids
Alcohol-Based
Ideal for all rework, solder, and de-solder applications
Excellent wetting
Easily cleaned with isopropyl alcohol (IPA)
Can be used with Leaded and Lead-Free applications



## **Specifications**

Flux Type: No-Clean Liquid (for Leaded and Lead-Free applications)

Flux Classification: ORL0 Specific Gravity: 0.8

**RoHS 3 and REACH compliant** 

Packaging: Refillable Pen 6ml (0.2oz) - Two Ends: Tip and Brush Shelf Life: Refrigerated >24 months, Unrefrigerated >24 months

# **Dispensing**

Gently press tip into work piece (depress tip) to dispense.

#### Storage and Handling

Store refrigerated or at room temperature 3-25°C (37-77°F). The liquid flux can be allowed to freeze. Freezing will not degrade this product. Allow 4 hours for flux to reach an operating temperature of 20-25°C (68-77°F) before use.

## **Transportation**

This product requires ground shipping. Shipping below 0°C (32°F) or above 25°C (77°F) for normal transit times by ground will not impact this product's stated shelf life.

# Cleaning

This is a no-clean liquid flux, post-use cleaning is not required. If cleaning is desired, residue can be cleaned with isopropyl alcohol (IPA), or most other alcohol-based solvent flux removers.

### **Conforms to the following Industry Standards:**

J-STD-004B, Amendment 1 (Solder Fluxes):

RoHS 3 Directive 2015/863/EU:

Yes

Yes