TE Internal #: 487406-4


FFC Contacts, .1 in [2.54 mm] Centerline, FFC, Socket, Tin-Lead, Reel, Insulation Displacement (IDC), 2 A, -85 – 221 °F [-65 – 105 °C]

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Contacts > 2.54mm FFC Connectors Socket Contacts









Insulation Displacement (IDC)



Centerline (Pitch): 2.54 mm [.1 in]

Compatible With Wire & Cable Type: FFC

Contact Type: Socket

Contact Mating Area Plating Material: Tin-Lead

Packaging Method: Reel

All 2.54mm FFC Connectors Socket Contacts (35)

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Compatible With Wire & Cable Type	FFC
Contact Features	
Contact Mating Area Plating Material Finish	Bright
PCB Contact Termination Area Plating Material	Tin-Lead
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Tin-Lead
Contact Current Rating (Max)	2 A
Termination Features	

Termination Method to Wire & Cable



Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Accepts Conductor Width	1.27 mm[.05 in]
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # CAT-F439-R2435254
2.54mm FFC Connectors Receptacle
Housing



TE Part # 1-487526-8 019 HOUSING FFC RCPT 100CL SR



TE Part # 1-528013-1
FFC PISTOL GRIP HAND TOOL CASE



TE Part # 5-528441-5
APPLIC. FFC-MODU.100

Customers Also Bought



TE Part #2-6609115-3 6EGG1-2=F7386D



TE Part #487526-3
2.54mm FFC Connectors Receptacle
Housing



TE Part #323008
PIDG R 22-16 COMM 22-18 MIL 6



FFC,RCPT CONTACT,STD PRESSURE





TE Part #103309-1

010 LOPRO HDR SP 30DP



Documents

Product Drawings

FFC RCPT CONT SP 100SNPB RL

English

CAD Files

Customer View Model ENG_CVM_CVM_487406-4_AV.2d_dxf.zip



English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_487406-4_AV.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_487406-4_AV.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Extraction Tools

English