
316300-6 - ACTIVE

### MAG-MATE

TE Internal #: 316300-6 Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8 mm<sup>2</sup>, MAG-MATE

#### View on TE.com >

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: Poke-In Mating Tab Width: 4.75 mm [ .187 in ] Mating Tab Thickness: .5 mm [ .02 in ] Compatible With Cavity Size: Size 1 Lead Wire Size: 20 – 18 AWG

### Features



### Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid			
Configuration Features				
Strip Orientation	Side Feed			
Body Features				
Compatible With Cavity Size	Size 1			
Contact Features				
Magnet Wire Terminal Type	Poke-In			
Mating Tab Width	4.75 mm[.187 in]			
Mating Tab Thickness	.5 mm[.02 in]			
Terminal Plating Material	Tin			
Contact Underplating Material	Nickel			
Terminal Orientation	Straight			
Termination Features				

**C** For support call+1 800 522 6752

Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8 mm², MAG-MATE



Termination Method to Wire & Cable	Insulation Displacement (IDC)
Mechanical Attachment	
Mating Retention Type	Hole
Dimensions	
Terminal Height	7.62 mm[.3 in]
Lead Wire Size	.5 – .8 mm²
Magnet Wire Size	.9 – 1.15 mm
Stock Thickness (Magnet Wire Side)	.41 mm[.016 in]
Product Length	27.75 mm[1.029 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Identification Marking	
Identification Number	24
De alva ain a Falatura a	

### Packaging Features

Packaging Quantity

Packaging Method

8000

Reel, Reel/Carton

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8 mm<sup>2</sup>, MAG-MATE



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE	-ETE	-E TE	= TE	
TE Part # 2-316300-8 STD MAG-MATE POKE-IN WITH 187T	TE Part # 2-316300-9 STD MAG-MATE POKE-IN WITH 187T	TE Part # 2825382-1 STD MAG-MATE .187 POKE-IN TAB	TE Part # 1217210-1 TAB POKE-IN 118 COMB 300 MM	



# Also in the Series | MAG-MATE

Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8 mm<sup>2</sup>, MAG-MATE





# **Customers Also Bought**



## Documents

## **Product Drawings** STD MAG-MATE .187 POKE-IN TAB

English

### **CAD** Files

#### 3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_316300-6\_N\_c-316300-6-n.2d\_dxf.zip English **Customer View Model** ENG\_CVM\_CVM\_316300-6\_N\_c-316300-6-n.3d\_igs.zip English **Customer View Model** ENG\_CVM\_CVM\_316300-6\_N\_c-316300-6-n.3d\_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages Magnet Wire Terminals & Splices

English

**Product Specifications** 

**Application Specification** 

English

STD MAG-MATE Poke-in with 187 Tab Terminal

Magnet Wire Terminals, Poke-In, Mating Tab Width .187 in [4.75 mm], Size 1, Lead Wire Size 20 – 18 AWG, Lead Wire Size .5 – .8 mm², MAG-MATE



English

Product Environmental Compliance MD\_316300-6\_02252014026\_dmtec

English

MD\_316300-6\_02252014026\_dmtec

English

Agency Approvals

UL Report

English