

TE Internal #: 1838893-1 Standard Circular Connectors, Wire-to-Panel, 3 Position, Sealable, Printed Circuit Board, Signal, Panel Mount, Reverse Gender, Nickel, Brass

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors





Connector System: Wire-to-Panel

-TE

Number of Positions: 3

Sealable: Yes

Connector & Contact Terminates To: Printed Circuit Board

Contact Current Rating (Max): 5 A

Features

Product Type Features

Product Type	Connector Assembly
Connector System	Wire-to-Panel
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board
Circular Connector Type	Plug
Shell Type	Metal
Configuration Features	
Number of Positions	3
Number of Power Positions	0
Number of Signal Positions	3
Contacts Preloaded	Yes
Electrical Characteristics	
Operating Voltage	500 VAC
Body Features	

C For support call+1 800 522 6752

Standard Circular Connectors, Wire-to-Panel, 3 Position, Sealable, Printed Circuit Board, Signal, Panel Mount, Reverse Gender, Nickel, Brass



Environmental Protection Type	Sealed
Environmental Protection	With
Shell Plating Material	Nickel
Shell Base Material	Brass
Circular Connector Insulation Material Type	Polyamide
Contact Features	
Contact Current Rating (Max)	5 A
Reverse Gender	Yes
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Pin
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	A
Mating Alignment Type	Keyed
Mating Retention	With
Dimensions	
Wire Size	.325 mm²

Usage Conditions

Operating Temperature Range	-25 – 90 °C[-13 – 194 °F]
Operation/Application	
Circuit Application	Signal
Shielded	No
Packaging Features	
Packaging Quantity	50
Other	
Field Serviceable	No
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold

Standard Circular Connectors, Wire-to-Panel, 3 Position, Sealable, Printed Circuit Board, Signal, Panel Mount, Reverse Gender, Nickel, Brass



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (3.31% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

ppm.

Halogen Content

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



Standard Circular Connectors, Wire-to-Panel, 3 Position, Sealable, Printed Circuit Board, Signal, Panel Mount, Reverse Gender, Nickel, Brass







Documents

Product Drawings M12 Mtl MALE PNL CONN. Sldr Re

English

CAD Files **Customer View Model** ENG_CVM_1838893-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_1838893-1_C.3d_stp.zip

English

Customer View Model

ENG_CVM_1838893-1_C.2d_dxf.zip

English

3D PDF

English

Customer View Model ENG_CVM_CVM_1838893-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1838893-1_D.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1838893-1_D.3d_igs.zip

English

3D PDF

3D

Standard Circular Connectors, Wire-to-Panel, 3 Position, Sealable, Printed Circuit Board, Signal, Panel Mount, Reverse Gender, Nickel, Brass



By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese