

Data sheet | Item number: 2050-381

End plate; with fixing flange; 1.3 mm thick; gray

[www.wago.com/2050-381](http://www.wago.com/2050-381)



## Data

### Physical data

Width	1.3 mm / 0.051 inches
Height	32.1 mm / 1.264 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	25.2 mm / 0.992 inches
-------	------------------------

**Mechanical Data**

Mounting type	snap-on type
---------------	--------------

**Material Data**

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.04 MJ
Weight	1.3 g

**Commercial data**

ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143951104
Customs tariff number	85389099990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Required accessories****End plate**

Through terminal block
------------------------

**Item no.: 2050-304**

2-conductor miniature through terminal block; with operating slots; 1 mm<sup>2</sup>; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; blue

[www.wago.com/2050-304](http://www.wago.com/2050-304)**Item no.: 2050-307**

2-conductor miniature through terminal block; with operating slots; 1 mm<sup>2</sup>; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm<sup>2</sup>; green-yellow

[www.wago.com/2050-307](http://www.wago.com/2050-307)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



<b>Item no.: 2050-321</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2050-321">www.wago.com/2050-321</a>
<b>Item no.: 2050-324</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2050-324">www.wago.com/2050-324</a>
<b>Item no.: 2250-301</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2250-301">www.wago.com/2250-301</a>
<b>Item no.: 2250-304</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2250-304">www.wago.com/2250-304</a>
<b>Item no.: 2250-307</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2250-307">www.wago.com/2250-307</a>
<b>Item no.: 2250-321</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2250-321">www.wago.com/2250-321</a>
<b>Item no.: 2250-324</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2250-324">www.wago.com/2250-324</a>
<b>Item no.: 2250-327</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2250-327">www.wago.com/2250-327</a>
<b>Item no.: 2050-327</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2050-327">www.wago.com/2050-327</a>
<b>Item no.: 2050-301</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2050-301">www.wago.com/2050-301</a>
<b>Item no.: 2250-301/000-014</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/2250-301/000-014">www.wago.com/2250-301/000-014</a>
<b>Item no.: 2250-302</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2250-302">www.wago.com/2250-302</a>
<b>Item no.: 2250-305</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; black	<a href="http://www.wago.com/2250-305">www.wago.com/2250-305</a>
<b>Item no.: 2250-303</b>	

Subject to changes. Please also observe the further product documentation!



2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; red	<a href="http://www.wago.com/2250-303">www.wago.com/2250-303</a>
<b>Item no.: 2250-306</b> 2-conductor miniature through terminal block; with push-button; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/2250-306">www.wago.com/2250-306</a>
<b>Item no.: 2050-301/000-014</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/2050-301/000-014">www.wago.com/2050-301/000-014</a>
<b>Item no.: 2050-305</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; black	<a href="http://www.wago.com/2050-305">www.wago.com/2050-305</a>
<b>Item no.: 2050-306</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/2050-306">www.wago.com/2050-306</a>
<b>Item no.: 2050-302</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2050-302">www.wago.com/2050-302</a>
<b>Item no.: 2050-303</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; End terminal block with mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; red	<a href="http://www.wago.com/2050-303">www.wago.com/2050-303</a>
<b>Item no.: 2050-323</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; red	<a href="http://www.wago.com/2050-323">www.wago.com/2050-323</a>
<b>Item no.: 2050-325</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; black	<a href="http://www.wago.com/2050-325">www.wago.com/2050-325</a>
<b>Item no.: 2050-322</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2050-322">www.wago.com/2050-322</a>
<b>Item no.: 2050-321/000-014</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/2050-321/000-014">www.wago.com/2050-321/000-014</a>
<b>Item no.: 2050-326</b> 2-conductor miniature through terminal block; with operating slots; 1 mm <sup>2</sup> ; Center terminal block without snap-in mounting foot, without mounting flange; side and center marking; with test port; Push-in CAGE CLAMP®; 1,00 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/2050-326">www.wago.com/2050-326</a>

## Optional accessories

### Mounting

Mounting accessories

**Item no.: 209-123**

[www.wago.com/209-123](http://www.wago.com/209-123)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Mounting foot with screw; can be screwed on terminal blocks with fixing flange; 6.4 mm wide; gray

## Downloads

### Documentation

#### Additional Information

pdf  
2.3 MB

Download

## CAD/CAE-Data

### CAD data

2D/3D Models 2050-381

URL

Download

### CAE data

ZUKEN Portal 2050-381

URL

Download

EPLAN Data Portal 2050-381

URL

Download

URL

Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2050-381

URL

Download

End plate; with fixing flange; 1.3 mm thick; gray

## Installation Notes

### Product family

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.