




C-1775290

METRIC
3RD ANGLE PROJECTION

PROJ DW
THIS DRAWING IS COMPLETE AND TO BE USED AS SHOWN. NO PARTS OR SUBASSEMBLIES TO BE ORDERED SEPARATELY UNLESS SPECIFICALLY NOTED.
DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.



- NOTES:
- MATERIAL:
 - HOUSING: THERMOPLASTIC(PA46) UL94V-0; COLOR: BLACK.
 - EXTRACTOR: THERMOPLASTIC(PA66) UL94V-0; COLOR: WHITE.
 - CONTACTS: PHOSPHOR BRONZE.
 - BOARDLOCK: BRASS.
 - FINISH:
 - CONTACT: GOLD PLATING(SEE TABLE) PLATING ON CONTACT AREA, 2.54µm(100µ")MIN. MATTE TIN PLATING ON SOLDER TAILS, 1.27µm(50µ")MIN. NICKEL UNDERPLATING OVERALL.
 - BOARDLOCK: 1.27µm(50µ")MIN. NICKEL PLATING OVERALL.
 - RECOMMENDED PCB THICKNESS: 1.6mm.
 - WAVE SOLDER CAPABLE TO 285°C. PER TYCO SPEC. 109-202, CONDITION B.



1.6 VOLT
DETAIL B
SCALE 2:1

RECOMMENDED PCB LAYOUT
PCB TOLERANCE : ±0.05

0.762µm (30µ")	1775290-2
0.381µm (15µ")	1775290-1
MIN. GOLD PLATING	PART NUMBER

TOLERANCES UNLESS OTHERWISE SPECIFIED: Ø FLD ± 1 FLD ±0.3 2 FLD ±0.2 3 FLD ± ANGLES ±3°	OWN 26-APR-2008	B. MOLE 26-APR-2008	TYCO MOBI RELEASES (GERMANY) VI LTD. TAIWAN BRANCH
MATERIAL SEE NOTE	CHK W.L. KE 25-APR-2008	W.L. KE 25-APR-2008	Electronic NAME
FINISH SEE NOTE	APVD W.L. KE 25-APR-2008	PRODUCT SPEC 108-57817	DIWIM DURI SOCKET 240 POSITION VERTICAL LOW PROFILE CONNECTOR
	QUALIFICATION TEST REPORT G01-57718	LOC DW	SIZE A3
	WEIGHT 1.47 GRAM	DRAWING NO C-1775290	REV A
		SCALE ---	SHEET 1 OF 3








A	FIRST RELEASED	---	SH	DATE
LTR	REVISION RECORD	ECH	DATE	

REVISION C-1775290

METRIC 3RD ANGLE PROJECTION

METRIC


THIS DRAWING IS TO BE MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE ISO 9001:2015 STANDARD. ALL DIMENSIONS ARE IN MILLIMETERS. DO NOT SCALE PRINT.



SEE SHEET 1	REVISION RECORD	ECN	DATE
-------------	-----------------	-----	------

TOLERANCES UNLESS OTHERWISE SPECIFIED: D 1 PLC ± F 1 PLC ± G 1.5 PLC ± H 2 PLC ± ANGLES ± 3'	DRW	S. HENDI 25-APR-2008	 TIKO HOLDING (BERHAJAH) M LTD. TANJUNg BERAH
	CHK	W.J. KE 25-APR-2008	
MATERIAL	APVD	W.J. KE 25-APR-2008	DINAM DORI SOCKET 24D POSITION VERTICAL LOW PROFILE CONNECTOR
FINISH	QUALIFICATION TEST REPORT	LOG SCALE	DW A3
	WEIGHT	SCALE	2 OF 3

CUSTOMER DRAWING



- NOTE:
1. MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD
 2. DIMENSION:
 - 2.1 TRAY: L=366, W=255, H=33
 - 2.2 SHIPPING CARTON: L=385, W=270, H=365
 3. QUANTITY:
 - 3.1 PRIMARY PACKING: 50 PCS/TRAY
 - 3.2 SECONDARY PACKING: 10 TRAYS/CORTON(500PCS)
 4. WEIGHT:
 - 4.1 NET WEIGHT: 5.9KG
 - 4.2 GROSS WEIGHT: 6.73KG

DW

SEE SHEET 1			
LTR	REVISION RECORD	ECH	DATE

TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWG	B. HOU	tyco	TYCO HOLDINGS (BERMUDA)
0 P/LC ±		26-APR-2008	Electronics	VI LTB, JAWAH BRANCH
1 P/LC ±	CHK	W.L. KE		
2 P/LC ±		22-APR-2008		
3 P/LC ±		W.L. KE		
ANGLES ±		22-APR-2008		
MATERIAL	APVD	W.L. KE	DIMM DORJI SOCKET 24D POSITIGN VERTICAL LOW PROFILE CONNECTOR	
SEE NOTE	PRODUCT SPEC			
	APPLICATION SPEC			
FINISH	WEIGHT		LOG	SCALE
SEE NOTE			DW	---
			SIZE	DRAWING NO
			A3	C-1775290
				REV
				A
				SHEET
				3 OF 3