

# SACC-DSI-M 8FS-4CON-M12/1,0 - Device connector, rear mounting



1408208

<https://www.phoenixcontact.com/us/products/1408208>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector, rear mounting, M12, Rear mounting, PVC litz wire

## Commercial data

Item number	1408208
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB22
Product key	ABQIDC
GTIN	4046356795227
Weight per piece (including packing)	29.5 g
Weight per piece (excluding packing)	20.2 g
Customs tariff number	85444290
Country of origin	DE

# SACC-DSI-M 8FS-4CON-M12/1,0 - Device connector, rear mounting



1408208

<https://www.phoenixcontact.com/us/products/1408208>

## Technical data

### Mounting

Mounting type	Rear mounting
---------------	---------------

### Product properties

Product type	Circular connectors (device side)
--------------	-----------------------------------

### Electrical properties

Nominal voltage $U_N$	48 V AC
-----------------------	---------

### Cable/line

Cable type	PVC litz wire
------------	---------------

# SACC-DSI-M 8FS-4CON-M12/1,0 - Device connector, rear mounting





1408208


<https://www.phoenixcontact.com/us/products/1408208>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1408208>

 <b>cUL Recognized</b> Approval ID: FILE E 221474	Nominal voltage $U_N$	Nominal current $I_N$	Cross section AWG	Cross section $\text{mm}^2$
	30 V	4 A	- 24	-

 <b>UL Recognized</b> Approval ID: FILE E 221474	Nominal voltage $U_N$	Nominal current $I_N$	Cross section AWG	Cross section $\text{mm}^2$
	30 V	4 A	- 24	-

 <b>EAC</b> Approval ID: B.01687
--

<b>cULus Recognized</b>
-------------------------

# SACC-DSI-M 8FS-4CON-M12/1,0 - Device connector, rear mounting



1408208

<https://www.phoenixcontact.com/us/products/1408208>

## Classifications

### ECLASS

ECLASS-11.0	27440102
ECLASS-12.0	27440116
ECLASS-13.0	27440116

### ETIM

ETIM 8.0	EC002635
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# SACC-DSI-M 8FS-4CON-M12/1,0 - Device connector, rear mounting



1408208

<https://www.phoenixcontact.com/us/products/1408208>

## Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)