


- NOTES:
- 1.0 ELECTRICAL SPECIFICATIONS
    - 1.1 FREQUENCY RANGE: DC to 8.0 GHz
    - 1.2 MAXIMUM INPUT POWER:
      - AT +25°C: 2 WATTS
      - AT +125°C: 0.5 WATTS
    - 1.3 OPERATING TEMPERATURE RANGE:
      - 55°C to +125°C
    - 1.4 IMPEDANCE: 50 OHMS
    - 1.5 MAXIMUM VSWR: 1.25:1
  - 2.0 MARK UNIT AS SHOWN.  
REF.: INK-02611-27-52
  - 3.0 DIMENSIONS IN PARENTHESIS ARE IN MILLIMETERS.



REV.	DESCRIPTION	DATE
-	RELEASED	6/13/97
-1	ADDED TITLEBLOCK	11/3/05

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:	FSCM NO. <b>34078</b>		<b>MIDWEST MICROWAVE</b>	
	3 PLACE DECIMALS $\pm.005$ 2 PLACE DECIMALS $\pm.02$ FRACTIONS $\pm 1/64$ PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: $\pm 1^\circ$		NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave	
		DRAWN/DATE J.VERNON 6/11/97		ENG./DATE G.KOZAK 6/12/97
		CHECKED/DATE		APPROVED/DATE
			TITLE TERMINATION, HN	
			DRAWING NUMBER TRM-2120-MO-HNO-02	
			SCALE: 3=1	SHEET 1 of 1