72 INCHES LENGTH



Connector A 901-9874 SMA Plug Right Angle Brass Gold + Heatshrink 50 Ohm RG-142 Continuity/Hi-Pot Connector B 112513 BNC Jack Straight Brass Nickel + Heatshrink

Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

| Connector A | | | Cable | | | Connector B | | |
|---|----------------|---|-------------|-------------------|-------------------|--|---|--|
| Part #: | 901-9874 | | Part #: | RG-142 | Part #: | 112513 | | |
| Description | : SMA R/A PLUG | SMA R/A PLUG RG223 500 | | RG-142 - ST 0.195 | Description: | BNC BHD JK RG55 RG58 RG141 RG142 500 | | |
| Type: | SMA | | Dielectric: | ST | Туре: | BNC | | |
| Gender: | Plug | | Shielding: | Braid | Gender: | Jack | | |
| Body Type | Right Angle | | Diameter: | 0.195 | Body Type: | Straight | | |
| Contact Ty | e: Solder | | Impedance: | 50 Ohm | Contact Type: | Crimp | | |
| Polarity: | Standard | | Sheathing: | None | Polarity: | arity: Standard | | |
| Impedance | 50 Ohm | | Testing: | Continuity Hi-Pot | Impedance: | 50 Ohm | | |
| Mounting: | Cable | | Length: | 72 Inches | Mounting: | Cable | | |
| Body Mate | al: Brass | | | | Body Material: | Brass | | |
| Body Finis | : Gold | | | | Body Finish: | Nickel | | |
| IP Rating: | None | | | | IP Rating: | None | | |
| Contact Ma | terial: Brass | | | | Contact Material: | Phosphor Bronze | | |
| Contact Fi | ish: Gold | | | | Contact Finish: | Gold | | |
| Max. Freq. | 12.4 GHz | | | | Max. Freq.: | 4 GHz | | |
| Booting: | SMA Plug Right | Angle | | | Booting: | BNC Jack Straight | | |
| | | | | | Clocking: | 0° | | |
| Amphenol This Drawing May Conta Proprietary INFORMATION FOR ANY PURPOSE DETRIME | | AND MUST NOT BE USED SMA-RA-PL/BNC-ST-J | | ST-JK G142 72I | | UNLESS SPECIFIED TOLERANCE: 0-18 inches +/- 1/2" | | |
| CUSTOM CABLE | | INC. IT MAY NOT BE REPRODUCED OR TRANSC | | | | | | |
| CONTROLLED DOCUMENT DO NOT CODY | | IN ANY FORM WITHOUT THE WRITTEN CONSENT OF CUSTOM CABLE INC. ACCEPTANCE OF THIS DRAWING ESTABLISHES AND AGREEMENT OF THE FOREGOING. | | NG Part No: | | | ASSEMBLY: CENTER LABEL IF LENGTH IS LESS THAN 12 INCHES | |



RoHS 2015/863 Compliance Statement

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/1/2023

Part Number: Q-3800B000H072I

Manufacturer: Amphenol Custom Cable

Description: SMA-RA-PL/BNC-ST-JK G142 72I

This information is valid as of the date indicated for the item (part number) listed.

Director of Quality Assurance

Janice Frank