


## TECHNICAL DATA SHEET

Part#: 530E-4-US-CUSTOM

Cutters - Standoff Shear Small Frame -- .XXX" Standoff - Long Thin Jaw  
Designed with a long thinner tip to fit between connector pins

The 530E-4-US 5.75" long jaw anti-shock shear cutter reduces shock and is designed with a long thinner tip to fit between connector pins. The tip width is .100". It's recommended cutting capacity is 24 AWG (.020" diameter). Standard cut length is 0.040". It features an ergonomically molded antimicrobial Anti-Static grip (10<sup>10</sup> ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10<sup>10</sup> ohms/sq
- Shape Straight
- Type of Cut Shear
- Cutting Capacity .025"
- Blade Angle .090"
- Blade Length .090"
- Body Width 0.42" (10.5mm)
- Body Height 5.75" (143.75mm)
- OAL 5
- Weight (OZ) N/A
- UPC 8203.20.60.30
- Schedule B EAR99
- ECCN 27111511
- UNSPSC Code USA
- Country of Origin Small Frame
- Group



**EXCELTA**  
CORPORATION

530E-4-US  
Anti-Shock, Standoff  
Shear Cutter

A= 1.100"  
B= .100"  
C= .090"