

6

5



4

3

2

1

FEMALE FACE VIEW



- WHITE - 1 > _____
- RED - 2 > _____
- GREEN/YELLOW - 3 > _____
- ORANGE - 4 > _____
- BLACK - 5 > _____

SPECIFICATIONS:

COUPLING NUT MATERIAL: ZINC DIE-CAST WITH BLACK ELECTROPHORETIC COATING

CONTACT MATERIAL: GOLD/NICKEL OVER COPPER ALLOY

INSERT MATERIAL: YELLOW PVC

OVERMOLD: BLACK PVC

CABLE: #16/5 BLACK ST00W

ASSEMBLY RATINGS: 600V, 8A
IP67 WHEN MATED

CERTIFICATIONS: cURus

xRPM #	ENGINEERING P/N#	SAP P/N#	"L" (FEET)	"L" (INCH)	TOLERANCE (INCH)
A201008798-3	61411-F030	1300062281	3'	36"	+1.75/-0.0
A201214307	61411-F060	1300062339	6'	72"	+2.19/-0.0
A201008798-2	61411-F120	1300062282	12'	144"	+3.50/-0.0

INITIAL RELEASE EC NO: IFC2013-1099 DRWN: BARDEN CHKD: VOU APPR: BWOODMAN 2011/01/24	1/22/13 DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		$\nabla = 0$ $\nabla C = 0$	mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ±0.25 ±.020	INCH	1:1	INCH	
			ANGULAR ±1/2°	DRAWN BY DATE VOU 2010/12/01 CHECKED BY DATE TWOLDEGE 2010/12/03 APPROVED BY DATE JFMURPHY 2011/01/24	TITLE MC CABLE ASSEMBLY 5P FEM STRAIGHT #16/5 ST00W CABLE		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE CHART	MOLEX INCORPORATED DOCUMENT NO. SD-130006-039		
3	REV			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 1 OF 1

6

5

4

3

2

1

E

E

D

D

C

C

B

B

A

A