

Data sheet | Item number: 884-3043

Jumper; for M16 stud bolts; 3-way; unplated; silver-colored

www.wago.com/884-3043



Color:

Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

Nominal voltage (III/3)	1000 V
Rated current	520 A

Ratings per UL

Rated voltage UL (Use Group B)	1000 V
Rated current UL (Use Group B)	510 A
Rated voltage UL (Use Group C)	1000 V
Rated current UL (Use Group C)	510 A
Rated voltage UL (Use Group D)	1000 V
Rated current UL (Use Group D)	510 A

Ratings per CSA

Rated voltage CSA (Use Group B)	1000 V
Rated current CSA (Use Group B)	510 A
Rated voltage CSA (Use Group C)	1000 V
Rated current CSA (Use Group C)	510 A
Rated voltage CSA (Use Group D)	1000 V
Rated current CSA (Use Group D)	510 A

Material Data

Note (material data)

[Information on material specifications can be found here](#)

Color	silver-colored
Weight	237 g

Commercial data

ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	10 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143941655
Customs tariff number	85366990990

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Documentation

Additional Information

pdf
2.3 MB

[Download](#)

CAD/CAE-Data

CAE data

EPLAN Data Portal 884-3043

URL

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 884-3043

URL

[Download](#)

Jumper; for M16 stud bolts; 3-way; unplated; silver-colored

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.