


1

2

3

4

DIMENSIONS mm (inches)



TIN LEAD		LEAD FREE		
8609 396 78 14 745 000 E1	8609 396 78 14 745 E1 LF	Style R header, 96 Position, solder to board, class 3		
8609 396 78 14 755 000 E1	8609 396 78 14 755 E1 LF	Style R header, 96 Position, solder to board, class 2		
8609 396 78 14 765 000 E1	8609 396 78 14 765 E1 LF	Style R header, 96 Position, solder to board, class 1		
8609 464 78 14 745 000 E1	8609 464 78 14 745 E1 LF	Style R header, 64 Position, solder to board, class 3		
8609 464 78 14 755 000 E1	8609 464 78 14 755 E1 LF	Style R header, 64 Position, solder to board, class 2		
8609 464 78 14 765 000 E1	8609 464 78 14 765 E1 LF	Style R header, 64 Position, solder to board, class 1		

Application specific part-numbers: See sheet 2

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
 SEE DRAWING C-8609-0000A

rev	ecn no	dr	date
C	-	ROU	2002/08/28
D	LS05-001	JTA	2005/03/01
E	LS06-0089	LGO	2006/06/01
F	ELX-I-40682	MJA	2021/04/19
G	ELX-I-40689	MJA	2021/04/19
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	ROUILLARD	23/06/92	ANGULAR	0.X	±0.1
Eng	LEGALLIC	23/06/92	LINEAR	0.XX	±0.1
Chr	M JACOB	19/04/21	0.XX' ±2'	0.XXX	±0.1
Appr	SANOJ	19/04/21	Product family	DIN	Spec ref -
Amphenol FCI			title STRAIGHT HEADER- STYLE R		dwg no C-8609-0265-1
			SOLDER TO BOARD		Rev. G
			catalog no		CUSTOMER sheet 1 of 2

European Views

1

2

3


4

Copyright AFCI. Amphenol FCI

PART NUMBER		8609	<input type="checkbox"/>	<input type="checkbox"/>	78	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5	<input type="checkbox"/>
PIN OUT		rows a-b-c	-----	3	96					
		rows a-c	-----	4	64					
NUMBER OF CONTACTS										
TERMINATION										
L = 2.70 ±0.25 (.106)		----- 24								
L = 4.65 ±0.25 (.183)		----- 14								
OPTIONS										
no option		----- 7								
with harpoons		----- H								
		----- A								
		----- R								
PERFORMANCE CLASS										
DIN 41612 class 3		----- 4								
DIN 41612 class 2		----- 5								
DIN 41612 class 1		----- 6								
TERMINATION TYPE										
TIN LEAD		----- 000E1								
LEAD FREE		----- E1LF								

PCB DRILLING

component side



GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C-8609-0000A

European Views

www.fciconnect.com			surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	ROUILLARD	23/06/92	ANGULAR	0.X	±0.1
Eng	LEGALLIC	23/06/92	LINEAR	0.XX	±0.1
Chr	M JACOB	19/04/21	0.XX ±2	0.XXX	±0.1
Appr	SANOJ	19/04/21	Product family		DIN
title STRAIGHT HEADER - STYLE R					size A3
SOLDER TO BOARD					Scale 1.5:1
catalog no					ECN ELX-I-40689
Amphenol FCI					Spec ref -
dwg no C-8609-0265-2					Rev. G
CUSTOMER					sheet 2 of 2

rev	ecn no	dr	date
C	-	ROU	2002/08/28
D	LS05-001	JTA	2005/03/01
E	LS06-0089	LGO	2006/06/01
F	ELX-I-40682	MJA	2021/04/19
G	ELX-I-40689	MJA	2021/04/19
-	-	-	-
-	-	-	-

Copyright AFCI. Amphenol FCI